



8th Implementation report on OSPAR Recommendation 18/01 on radioactive discharges by the Netherlands

OSPAR: nuclear installations

2016 - 2019

Implementation report on OSPAR Recommendation 18/01 on radioactive discharges by the Netherlands

OSPAR: nuclear installations

2016-2019

OSPAR Convention

The Convention for the Protection of the Marine Environment of the North-East Atlantic (the “OSPAR Convention”) was opened for signature at the Ministerial Meeting of the former Oslo and Paris Commissions in Paris on 22 September 1992. The Convention entered into force on 25 March 1998. The Contracting Parties are Belgium, Denmark, the European Union, Finland, France, Germany, Iceland, Ireland, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Convention OSPAR

La Convention pour la protection du milieu marin de l'Atlantique du Nord-Est, dite Convention OSPAR, a été ouverte à la signature à la réunion ministérielle des anciennes Commissions d'Oslo et de Paris, à Paris le 22 septembre 1992. La Convention est entrée en vigueur le 25 mars 1998. Les Parties contractantes sont l'Allemagne, la Belgique, le Danemark, l'Espagne, la Finlande, la France, l'Irlande, l'Islande, le Luxembourg, la Norvège, les Pays-Bas, le Portugal, le Royaume-Uni de Grande Bretagne et d'Irlande du Nord, la Suède, la Suisse et l'Union européenne.

Acknowledgement

This report has been prepared by Cristina P. Tanzi and Pieter J. Kwakman of the National Institute for Public Health and the Environment (RIVM), on request by Patrick Arends of the Dutch Authority for nuclear safety and radiation protection, ANVS.

Contents

Executive Summary	4
1. Introduction.....	6
2. The Nuclear Power Plant in Borssele.....	6
Emissions to air relevant for the marine compartment.....	7
Radiation doses to the public	7
Site specific target discharge data	7
2.1 Summary evaluation.....	8
3. The Fuel Enrichment Plant in Almelo	9
3.1 Summary evaluation.....	9
4. The Research Facility in Petten	10
4.1 Summary evaluation.....	11
5. The Research Facility in Delft.....	12
5.1 Summary Evaluation.....	12
6. Waste Treatment Plant COVRA in Vlissingen	13
6.1 Summary Evaluation.....	14
References	15
Annex A: Locations of Sites.....	16
Annex B: Normalized Discharges.....	18
Annex C: Environmental Impact in the Netherlands	20
Annex D: Environmental Measurements in the Vicinity of NPP Borssele and the Waste Treatment Plant COVRA in Vlissingen	24
Annex E: References for yearly discharges	49

Executive Summary

OSPAR Recommendation 2018/01 on Radioactive Discharges aims to prevent and eliminate pollution caused by radioactive discharges from all nuclear industries and their associated radioactive waste treatment facilities and decommissioning activities, by applying the best available techniques (BAT) and the best environmental practice (BEP). This report illustrates the implementation of this Recommendation in the Netherlands following the guidelines in OSPAR Agreement 2018-01. This Recommendation supersedes PARCOM Recommendation 91/04. Information on the national legislation, environmental monitoring programmes, and the installations is given in the Country Profile of the Netherlands which is available on the www.ospar.org website.

The information presented in this report indicates that BAT/BEP has been applied to all nuclear installations in the Netherlands: the only operational nuclear power plant in the Netherlands, the nuclear fuel enrichment plant, two research reactors, and the nuclear waste treatment and storage plant. For all nuclear installations a clear downward trend in the discharges is visible or the reported values are already at a very low level.

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

1. Abstract

This report presents the discharges of radioactive substances to sea by nuclear installations in the Netherlands between 2016 and 2019. The preceding period 1998-2015 is covered by previous reports [OSPAR18 and OSPAR13], so this report focuses on the changes and additional information since the year 2016 onwards. The techniques used to reduce these discharges and details on the nuclear installations are described in the previous report over the period 1998-2007 and in the Country Report. This report fulfills the recommendation of the OSPAR Convention to report regularly on these discharges and techniques.

The Netherlands has ratified the OSPAR Convention, which entered into force in 1998. The aim of the OSPAR Convention is to prevent and eliminate pollution and to protect the marine environment of the North-East Atlantic (including the North Sea) against the adverse effects of human activities. The agreement is to prevent pollution as much as possible and to terminate discharges where possible.

In the reporting period for all nuclear installations a clear downward trend is visible or the level of discharges to the North Sea is very low.

The highest radiation dose resulting from the discharges to sea has been assessed for each of the nuclear installations. Each dose is less than one thousandth of the average radiation dose for individuals in the Netherlands.

Key words:

OSPAR, radioactive substances, nuclear power plant, nuclear installation, discharges, water, marine environment, North Sea, the Netherlands

1. Introduction

The OSPAR Recommendation 18/01 concerns application of best available technique (BAT) and best environmental practice (BEP) in accordance with Appendices 1 and 2 of the Convention to prevent and eliminate pollution caused by radioactive discharges from all nuclear industries, including nuclear power plants, reprocessing facilities, fuel fabrication facilities, research reactors, and their associated radioactive waste treatment facilities and decommissioning activities. After 2019 Contracting Parties should report every six years on the implementation of this Recommendation in accordance with the guidelines.

The OSPAR Recommendation 18/01 supersedes the PARCOM Recommendation 91/4. The Netherlands has reported compliance with PARCOM Recommendation 91/4 during seven implementation rounds.

This report concerns the eight implementation round – the first according to the OSPAR Recommendation 18/01 – concerns the implementation of BAT and BEP at the nuclear installations in the Netherlands.

The Country Profile available on www.ospar.org provides information on the relevant national authorities and responsibilities, the national legislation and basis for regulation, the application of BAT/BEP in domestic legislation, the dose limit, constraints and discharge limit setting rationale, the regulation, surveillance and monitoring, the environmental monitoring programmes, the radiation dose assessment methods, the environmental norms and standards and the quality assurance.

This document reviews the situation in the Netherlands over the period 2016 – 2019, and is part of the 8th round of implementation reporting. Information over the years 2008 – 2015, which is covered by previous reports [OSPAR18, OSPAR13], is also added here, for convenience. Information pertaining to the years 1998 – 2007 is given elsewhere [OSPAR09, also available as RIVM09].

Annex A to this report provides additional information on the location of the nuclear installations and specific sampling locations of the national monitoring programme. Figures showing the discharges and emissions normalized to the granted limits and annual production figures can be found in Annex B. The environmental impact is illustrated in Annex C, and Annex D reports a selection of the environmental measurements in the vicinity of the nuclear power plant of Borssele. In Annex E the specific references for the discharge data since 2008 are given for each year and for each installation.

2. The Nuclear Power Plant in Borssele

The information on discharges to water over the years 2007-2019 has been reported annually to the OSPAR Secretariat, including the annual electric output of net produced electricity, and is available on www.ospar.org. The liquid discharges of total alfa, total gamma and rest beta are all very low and are summarized in Annex B. The liquid discharge of H-3 is given in Table 2.1.

In June 2011 the plant has been licensed to use other fuels in addition to enriched Uranium (to a maximum of 4.4% in weight of U-235), namely MOX (to a maximum of 5.41% in weight of fissile Pu, with a maximum allowed number of MOX fuel elements in the reactor of 48, which corresponds to 40% of the total), and compensated enriched reprocessed uranium (c-ERU, enriched to a maximum of 4.6% in weight of U-235 to compensate for U-236 content), and to burn a nuclear fuel element of HTP-type up to a maximum of 68 MWd/kgU (pin average).

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands
 Systems to reduce discharges are summarised in paragraph 3.2.1 of an earlier report [OSPAR09]. A schematic representation is given in Fig. 6.10 of [KCB15]. The efficiency of the distillation step, except for tritium, is about a factor 10^4 [KCB15].

Table 2.1: Liquid discharges of H-3 of Borssele NPP (in TBq/GWa)

	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
H-3	13	15	16	15	15	18	22	7	15	15	13	13	14

Comparison with similar reactors

UNSCEAR [UNSC16] reports for the year 2010 an average value of 18 TBq/GWa of H-3 in liquid discharges for PWRs in the world. The reported discharges of tritium in liquid effluents of the PWR reactor Borssele are at or below this value since 2007, with the exception of the year 2013 when the discharge was 22 TBq/GWa. The liquid discharge of H-3 in 2014 of 7 TBq/GWa, the lowest of the time series, is due to a revision period taking place in the last months of 2013 (the tritium concentration in the primary system is reduced before a revision period). This revision period also has a relatively big influence on the total electricity production of the Borssele NPP in 2013 and therefor the normalised discharge of H-3 is significantly higher in 2013.

Emissions to air relevant for the marine compartment

The emission to air of H-3 and C-14 is given in Table 2.2.

Table 2.2: Emissions to air of Borssele NPP (in TBq/GWa)

	2007	2008	2009	2010	2011	2012	2013	2014	2015
H-3	5.7E-01	7.1E-01	5.8E-01	5.8E-01	6.6E-01	6.3E-01	8.6E-01	6.8E-01	6.9E-01
C-14	3.1E-01	2.7E-01	3.4E-01	3.8E-01	4.0E-01	3.7E-01	5.2E-01	2.4E-01	2.9E-01

	2016	2017	2018	2019
H-3	6.5E-01	7.9E-01	4.1E-01	4.9E-01
C-14	3.5E-01	4.3E-01	3.1E-01	3.0E-01

Emissions of I-129 to air are not measured.

Radiation doses to the public

The individual effective dose via the marine exposure pathway is given in Table 2.3.

Table 2.3: Effective dose per year caused by liquid discharges of the Borssele NPP (in μSv)

	2007	2008	2009	2010	2011	2012	2013	2014	2015
E (μSv)	6.8E-06	6.7E-06	5.6E-06	6.3E-06	4.2E-06	4.2E-06	4.8E-06	1.5E-06	2.5E-06

	2016	2017	2018	2019
E (μSv)	2.4E-06	1.8E-06	2.3E-06	2.7E-06

Site specific target discharge data

The discharge limits for liquid discharges per year of the Borssele NPP (in TBq) are given in Table 2.4.

Table 2.4: The discharge limits for liquid discharges per year of the Borssele NPP (in TBq)

	Discharge limit
Total gamma and rest beta emitters	0.2
Tritium	30
Total alpha emitters	0.0002

The tritium discharge in waste water shows little variation. The tritium emissions to air also show little variation. In Annex B figures are given which show the discharges normalized to these permitted limits and to the annual electric output. The liquid discharges of beta/gamma emitters vary in the period 1998-2019 between 0.007% and 0.29% of the discharge limit and show since 2007 a downward trend.

2.1 Summary evaluation

An indication that BAT/BEP has been applied is a downward trend in the liquid discharges and dose estimates. In the case of the NPP in Borssele the emissions to air and water, normalized to the production in GWa, have been reduced where technologically possible. A downward trend is apparent for discharges of total gamma and residual beta to water, and the emissions remain constant at a relatively low level. Based on the graphs in figures B1 and B2 in Appendix B, since the use of MOX-fuel in 2017, there appear to be no changes in discharges

The calculated dose due to liquid discharges is consistently below 7E-06 microSv/a over the years 2007 to 2019. It follows that, according to these indicators, BAT/BEP has been applied in NPP Borssele.

Also, in the Netherlands, compliance with the ALARA principle is considered sufficient evidence that the requirements of BAT/BEP in terms of the OSPAR Convention have been met. At present, the NPP in Borssele is judged to be compliant with the ALARA principle. Furthermore, the discharges are low compared to the licensed discharge limits in the license and largely fulfill the site internal discharge targets. The normalized tritium discharges are equal or less than the reference data for the same type of reactor in the UNSCEAR report [UNSC16].

The information presented above is in accordance with the OSPAR guidelines and includes indicators that BAT/BEP has been applied in the NPP in Borssele.

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

3. The Fuel Enrichment Plant in Almelo

The information on discharges over the years 2007-2019, together with other changes since the previous reports [OSPAR18, OSPAR13], which cover the period 2007-2015, is given here. The discharges over the years 2007-2011 have already been reported in the previous reports [OSPAR18, OSPAR13] and they are also added here, for convenience.

The licensed production capacity was increased from 4500 tSW/y in 2007 to 4950 tSW/y in 2010, to 6200 tSW/y since 15 December 2011 (tSW stands for tonnes of Separative Work).

In Table 3.1 the fuel enrichment production is given, and in Table 3.2 the liquid discharges of the Almelo facility.

Table 3.1: The fuel enrichment production (in tSW/y)

	2007	2008	2009	2010	2011	2012	2013	2014	2015
tSW/y	3554	3644	4078	4550	4659	5268	5425	5426	5027

	2016	2017	2018	2019
tSW/y	5217	5237	5145	5149

Table 3.2: Liquid discharges of Almelo facility (in TBq/tSW)

	2007	2008	2009	2010	2011	2012	2013	2014	2015
total alpha	1.7E-10	1.7E-10	1.5E-10	1.6E-10	1.5E-10	2.7E-10	1.3E-10	1.5E-10	2.0E-10
beta/gamma	6.4E-10	8.2E-10	7.7E-10	3.0E-10	3.8E-10	5.7E-10	7.6E-10	3.1E-10	3.2E-10

	2016	2017	2018	2019
total alpha	1.2E-10	1.3E-10	1.4E-10	9.7E-11
beta/gamma	3.1E-10	3.6E-10	3.3E-10	2.3E-10

The figures in Annex B show the discharges normalized to the limits and to production.

3.1 Summary evaluation

An indication that BAT/BEP has been applied is a downward trend in the liquid discharges. A reduction can be observed in the discharges of radionuclides since the year 2007. This is mainly due to do the closing of separation plant SP3 and the expansion of the modern separation plant SP5.

Moreover, in the Netherlands compliance with the ALARA principle is deemed sufficient to meet the requirements of BAT/BEP in terms of the OSPAR Convention. At present, the fuel enrichment plant in Almelo is considered to comply with the ALARA principle.

The discharges are low compared to the discharge limits in the license. Also, the estimated dose for the critical group due to liquid discharges is very low, less than 1 μ Sv/year.

The information presented above is in accordance with the OSPAR Recommendation 18/01 and includes indicators that BAT/BEP has been applied in the fuel enrichment plant in Almelo.

4. The Research Facility in Petten

The information on discharges over the years 2007-2019, together with other changes since the previous report [OSPAR18, OSPAR13], which cover the period 2007-2015, is given here. The discharges over the years 2007-2011 have already been reported in the previous reports [OSPAR18, OSPAR13] and they are also added here, for convenience.

The LFR (“Low Flux Reactor”) is dismantled. Since 2011, the only operational reactor on the Petten site is the HFR (“High Flux Reactor”) research reactor owned by the European Commission. The reactor type is a tank-in-pool type reactor. Since 2015 there has been a large increase in the production of medical isotopes by the HFR.

The liquid discharges of the HFR and, until 2010, LFR are presented as a total of the Petten site in Table 4.1. The Petten site includes research laboratories and auxiliary industry like Curium (Mallinckrodt), and the discharges cannot easily be separated. Therefore, the data presented here are an overestimation of the actual discharges of the HFR (and – until 2010 – of the LFR). Table 4.2 reports the tritium emissions to air and Table 4.3 the effective dose caused by the liquid discharges.

Table 4.1: Liquid discharges of Petten site (in GBq: i.e. not normalized)

(GBq)	2007	2008	2009	2010	2011	2012	2013	2014	2015
H-3	2.7E+02	2.0E+02	6.7E+01	2.6E+02	1.5E+02	1.6E+02	2.7E+02	7.6E+01	1.0E+02
Na-22	5.1E-02	5.2E-02	4.3E-02	6.9E-02	7.7E-02	7.7E-02	6.4E-02	2.0E-02	3.0E-02
Cr-51	7.8E-02	1.5E-03	<DL	7.2E-04	5.5E-03	5.2E-03	NI	NI	NI
Mn-54	8.2E-02	1.3E-02	1.2E-02	1.5E-02	<DL	4.2E-02	7.4E-02	NI	NI
Co-57	1.8E-02	3.2E-02	3.4E-03	2.4E-02	1.5E-01	9.0E-02	2.0E-01	NI	NI
Co-58	5.2E-02	6.9E-03	2.9E-03	3.1E-03	1.4E-02	2.0E-02	4.0E-02	NI	NI
Co-60	1.2E+00	3.8E-01	5.3E-01	2.7E-01	5.4E-01	7.1E-01	1.8E+00	1.1E+00	4.2E-01
Zn-65	5.0E-01	2.3E-01	5.8E-01	2.6E-01	1.8E-01	1.6E-01	3.9E-01	3.4E-02	1.8E-02
Mo-99	3.0E+00	3.5E-01	3.8E-01	2.3E-01	9.7E-02	9.9E-02	3.7E-01	NI	NI
Ru-103	5.5E-03	3.5E-03	6.7E-04	5.4E-04	3.5E-03	4.0E-03	5.4E-04	NI	NI
Cd-109	2.1E+01	1.6E+00	1.3E+00	1.3E-01	7.1E-02	2.1E-02	2.7E-02	1.8E-03	7.3E-05
Sb-124	4.1E-01	3.3E-01	5.5E-02	1.9E-01	1.8E-01	6.0E-02	9.8E-03	1.6E-02	2.9E-02
Sb-125	3.1E-01	2.0E-01	5.7E-02	1.9E-01	1.8E-01	2.6E-01	1.5E-01	7.4E-02	1.0E-01
I-131	4.6E-01	2.3E-01	2.6E-01	1.3E+01	3.5E+00	1.6E+00	7.5E-01	1.1E-01	4.6E-03
Cs-134	5.5E-01	1.0E-01	7.5E-02	5.0E-02	3.3E-02	1.7E-02	1.4E-02	1.4E-02	5.5E-03
Cs-137	1.4E+00	6.3E-01	4.8E-01	7.0E-01	8.3E-01	6.7E-01	7.8E-01	4.8E-01	3.1E-01
W-181	1.3E-01	2.8E-01	8.6E-03	8.2E-03	8.9E-02	3.7E-01	3.7E-02	NI	NI
W-188	2.5E-02	6.4E-02	<DL	6.3E-04	7.6E-03	5.3E-02	1.1E-03	NI	NI
Re-186	<DL	9.0E-03	<DL	<DL	2.8E-03	NI	NI	NI	NI
Tl-202	1.4E-03	2.9E-03	1.1E-02	5.4E-03	2.8E-03	3.6E-03	1.2E-03	NI	NI
Alpha	2.4E-03	4.9E-03	2.4E-03	9.1E-04	1.9E-03	2.1E-03	1.7E-03	2.6E-03	5.1E-03
Beta	9.8E+01	6.0E+01	1.5E+01	1.4E+01	1.4E+01	2.4E+01	1.6E+01	1.1E+01	8.2E+00

<DL is below detection limit; NI is “No Information”

(GBq)	2016	2017	2018	2019
H-3	1.6E+02	3.5E+02	2.1E+02	3.5E+02
Na-22	3.1E-02	4.8E-02	3.5E-02	1.6E-02
Cr-51	<DL	<DL	2.4E-03	<DL
Mn-54	2.0E-02	1.6E-02	1.3E-02	3.9E-02

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

(GBq)	2016	2017	2018	2019
Co-57	6.4E-02	3.1E-02	1.7E-02	9.9E-03
Co-58	2.4E-02	3.1E-03	4.7E-03	1.2E-02
Co-60	3.4E-01	4.2E-01	2.7E-01	5.6E-01
Zn-65	1.9E-02	1.6E-02	3.5E-02	3.2E-02
Mo-99	5.7E-03	4.7E-04	6.2E-04	6.1E-03
Ru-103	4.1E-04	3.9E-03	3.6E-03	2.5E-04
Cd-109	<DL	2.6E-03	<DL	1.6E-02
Sb-124	2.6E-02	3.0E-01	6.8E-02	1.7E-01
Sb-125	8.6E-02	1.1E-01	1.7E-01	2.7E-01
I-131	5.0E-03	3.9E-03	3.8E-03	1.1E-02
Cs-134	1.7E-03	1.7E-03	1.0E-04	1.9E-03
Cs-137	2.9E-01	2.7E-01	2.1E-01	3.4E-01
W-181	5.9E-02	5.5E-02	3.2E-02	4.2E-02
W-188	6.3E-03	2.2E-03	3.7E-04	1.2E-03
Re-186	<DL	<DL	<DL	<DL
Tl-202	<DL	<DL	<DL	<DL
Alpha	9.9E-03	1.8E-03	1.5E-02	2.1E-02
Beta	7.7E-03	1.1E+01	6.8E+00	1.1E+01

Table 4.2: Tritium emissions to air from all facilities combined on the Petten site (in TBq: i.e. not normalized)

(TBq)	2007	2008	2009	2010	2011	2012	2013	2014	2015
H-3	0.3	0.3	0.4	0.3	0.4	0.3	0.2	0.2	0.3

(TBq)	2016	2017	2018	2019
H-3	0.3	0.3	0.3	0.3

Table 4.3: Effective dose per year caused by the liquid discharges of the Petten site (in μSv)

2007	2008	2009	2010	2011	2012	2013	2014	2015	
E (μSv)	9E-03	1E-03	7E-04	5E-04	6E-04	6E-04	1E-03	7E-04	3E-04
2016	2017	2018	2019						
E (μSv)	2E-04	3E-04	2E-04	4E-04					

4.1 Summary evaluation

According to the Guidelines, an indication that BAT/BEP has been applied is a downward trend in the liquid discharges [OSPAR04]. The annual liquid discharges of the Petten site do not show such a downward trend, but vary from year to year. The effective dose due to the liquid discharges shows the same variation. Also the estimated dose for the critical group due to liquid discharges is very low, much less than 1 $\mu\text{Sv}/\text{y}$.

In the Netherlands, the requirements of BAT/BEP in terms of the OSPAR Convention are met when the ALARA principle is applied. At present the Petten site is considered to comply with the ALARA principle.

The information presented above is in accordance with the OSPAR Agreement 2004-03 [OSPAR04] and includes indicators that BAT/BEP has been applied in the Petten site.

5. The Research Facility in Delft

This section gives information on discharges over the years 2007-2019. Information since the previous reports [OSPAR18, OSPAR13], which covers the period 2007-2015, is also added here, for convenience, see Table 5.1. The Research Facility in Delft operates a 2,3 MWth open pool reactor which has been in refurbishment since 2019.

Table 5.1: Liquid discharges of Delft facility (in GBq: i.e. not normalized)

(GBq)	2007	2008	2009	2010	2011	2012	2013	2014	2015
Alpha	< 0.59E-03	< 0.1E-03	< 0.1E-03	< 0.3E-03	< 0.1E-03				
Beta	4.67E-03	4.92E-03	2.0E-03	1.06E-02	6.0E-03	6.2E-02	4.3E-03	2.4E-03	2.4E-03
Gamma	< 2.89E-03	< 2.58E-03	1.0E-03	5.51E-03	3.6E-03	4.0E-02	4.3E-03	3.9E-03	4.9E-03

(GBq)	2016	2017	2018	2019					
Alpha	< 0.1E-03	< 0.1E-03	< 0.1E-03	< 0.1E-03					
Beta	2.73E-03	4.96E-03	3.95E-03	7.12E-03					
Gamma	3.93E-03	4.33E-03	5.70E-03	4.50E-03					

5.1 Summary Evaluation

An indication that BAT/BEP has been applied is a downward trend in the liquid discharges. The annual liquid discharges of the research facility in Delft do not show such a downward trend but vary from year to year. However, the question whether or not BAT/BEP has been applied, is not only a matter of downward trends. In the Netherlands, the requirements of BAT/BEP in terms of the OSPAR Convention are met when the ALARA principle is applied. At present, the research facility in Delft is considered to comply with the ALARA principle. The discharges are low compared to the discharge limits in the license. Also the estimated dose for the critical group due to liquid discharges is very low, less than 0.009 $\mu\text{Sv}/\text{y}$.

The information presented above is in accordance with the OSPAR Agreement 18/01 and includes indicators that BAT/BEP has been applied in the research facility in Delft.

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

6. Waste Treatment Plant COVRA in Vlissingen

The information on discharges over the years 2007-2019, together with other changes since the previous report [OSPAR18], which covers the period 2007-2015, is given in Table 6.2 and Table 6.3. The discharges over the years 2007-2015 have already been given in the previous report [OSPAR18] and they are also added here, for convenience.

The efficiency of the waste water treatment system is given in the Table 6.1. For each nuclide in this table the activity concentration after the treatment is divided by the activity concentration before. A “slip-through” factor of 0.3 therefore means a wastewater cleaning efficiency of 70%.

A report of 2006 [VL06] shows that BAT/BEP are applied to the wastewater treatment systems.

Table 6.1: Slip-through factors for the wastewater treatment system

nuclide	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Co-60	0.2	0.3	0.2	0.1	0.1	0.15	0.12	0.06	0.17	0	0	0	0
Cs-137	0.8	0.7	0.9	0.73	0.83	0.51	0.74	0.74	0.88	0.75	0.9	0.9	1.0
I-125	0	0	< 0.1	0.17	< 0.01	0.04	0.0	0.0	*	0	0	0	0
H-3	0.9	1.0	1.0	0.75	0.86	0.84	0.61	0.77	0.81	1.0	1.0	0.8	1.0
C-14	1.0	0.2	0.4	0.23	0.32	0.22	0.31	0.26	0.84	0.42	0.43	0.5	0.2
Alpha	0.1	0.2	0.1	0.03	0.1	0.05	0.02	0.03	0.14	0.06	0.14	0.2	0.1
Gross Σ	0.8	0.7	0.9	0.73	0.83	NI							

NI No Information

* In 2015 no I-125 was detected neither upstream or downstream of the wastewater treatment systems

Table 6.2: Liquid discharges of COVRA (in GBq: i.e. not normalized)

(GBq)	2007	2008	2009	2010	2011	2012	2013	2014	2015
H-3	6.0E-01	4.0E-01	7.1E+00	6.4E+01	4.6E+00	1.7E+01	4.9E+01	6.3E+00	2.8E-01
C-14	2.5E-02	6.0E-03	3.2E-02	8.4E-03	1.1E-03	0.1E-02	7.9E-03	1.4E-02	1.4E-03
gross-alpha	2.6E-03	6.9E-04	1.4E-03	1.4E-04	1.2E-04	9.2E-05	8.0E-05	4.2E-05	1.8E-05
residual	5.0E-02	2.9E-02	9.4E-01	2.2E-01	9.5E-02	1.1E-01	2.4E-01	8.6E-02	7.3E-03
beta									
gamma	5.2E-02	2.9E-02	1.0E+00	2.0E-01	8.9E-02	7.7E-02	1.7E-01	6.8E-02	5.6E-03

(GBq)	2016	2017	2018	2019
H-3	6.0E-02	3.6E-01	6.1E-02	9.9E-03
C-14	6.9E-04	1.0E-03	1.2E-04	3.5E-04
gross-alpha	1.4E-05	7.4E-06	4.6E-06	6.0E-06
residual	3.4E-03	2.0E-03	0.7E-03	2.9E-03
beta				
gamma	1.7E-03	1.2E-03	0.5E-03	2.0E-03

Table 6.3: Emissions to air of COVRA (in GBq: i.e. not normalized).

MDA is Minimum Detectable Activity

(GBq)	2007	2008	2009	2010	2011	2012	2013	2014	2015
-------	------	------	------	------	------	------	------	------	------

H-3	3.8E+02	4.0E+02	7.5E+00	8.3E+01	4.0E+01	1.4E+02	1.8E+02	5.8E+01	2.3E+00
C-14	7.6E-01	3.0E-01	2.0E-01	1.4E+01	3.7E+00	2.0E-01	6.5E+00	0.1E-01(*)	0.3E-01(**)
gross-alpha	1.0E-05	3.7E-06	3.4E-06	3.2E-06	4.4E-06	4.1E-06	< MDA	< MDA	0.3E-06
residual beta	1.4E-04	5.9E-05	2.5E-04	1.1E-04	7.3E-05	7.5E-05	8.0E-05	2.9E-05	4.5E-05
gamma	9.5E-04	1.9E-04	1.5E-03	8.2E-04	1.9E-04	3.8E-04	7.9E-05	< MDA	1.6E-04

(*) the discharge in 2014 is amended to 1.0E-01 GBq (in OSPAR18 the reported value was 0.1E-01 GBq)

(**) the discharge in 2015 is amended to 3.0E-01 GBq (in OSPAR18 the reported value was 0.3E-01 GBq)

(GBq)	2016	2017	2018	2019
H-3	3.2E+00	1.5E+00	1.3E+01	5.2E+01
C-14	1.0E-01	1.0E-01	1.0E-01	2.0E-01
gross-alpha	< MDA	< MDA	< MDA	< MDA
residual beta	2.6E-05	4.8E-05	4.0E-06	4.0E-06
gamma	4.1E-04	2.2E-04	3.0E-04	< MDA

6.1 Summary Evaluation

In the Netherlands, the requirements of BAT/BEP in terms of the OSPAR Convention are met when the ALARA principle is applied. At present, COVRA is considered to comply with the ALARA principle.

The discharges are low compared to the discharge limits in the license. Also the estimated dose for the critical group due to liquid discharges is very low, much less than 0.001 $\mu\text{Sv}/\text{y}$.

The information presented above is in accordance with the OSPAR Agreement 18/01 and includes indicators that BAT/BEP has been applied in the storage facility of COVRA.

References

- [KCB15] Safety Report, Nuclear Power Plant Borssele VR15 Versie 1, november 2015 (Veiligheidsrapport Kernenergiecentrale Borssele, VR15 versie 1, in Dutch).
- [OSPAR04] Guidelines for the Submission of Information about, and the Assessment of, the Application of BAT in Nuclear Facilities. OSPAR Convention for the protection of the marine environment of the North-East Atlantic. Reference number 2004-03.
- [OSPAR09] Report on Information about, and the Assessment of, the Application of BAT in Nuclear Facilities, OSPAR Publication 2009/391 Report from the Netherlands. ISBN 978-1-906840-31-0.
- [OSPAR13] Report on implementation of PARCOM Recommendation 91/4 on radioactive discharges by the Netherlands 2008-2011. OSPAR Publication 590/2013. Report from the Netherlands. ISBN 978-1-909159-23-5.
- [OSPAR18] Dutch implementation Report of PARCOM Recommendation 91/4 on radioactive discharges. OSPAR Publication 722/2018. Report from the Netherlands. ISBN 978-1-911458-62-3
- [RIVM09] Report on implementation of PARCOM Recommendation 91/4 on radioactive discharges by the Netherlands. OSPAR: nuclear installations, CP Tanzi, PJM Kwakman, RIVM Rapport 610790005, 2009.
- [UNSC16] UNSCEAR 2016 report: Sources and effects of ionizing radiation: Annex B: Radiation Exposures from Electricity Generation. UN, United Nations, New York, 2016.
- [VL06] Efficiency of water treatment systems, COVRA report no. 06.037, 2006 (in Dutch).

Annex A: Locations of Sites

Location of nuclear sites in the Netherlands, including the Dodewaard Nuclear Power Plant, which is in Safe Enclosure since July 2005.

Map of Nuclear Facilities



Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands
Map of nine measurement points for which measurements are reported in Tables C1 to C4..



Annex B: Normalized Discharges

The normalized discharges of the Nuclear Power Plant and of the fuel enrichment facility are shown here (a logarithmic scale is used for the y-axis).

NPP Borssele




Figure B1: Discharges and emissions normalized to limits, NPP Borssele (logarithmic scale).

discharges and emissions normalized to production NPP Borssele (TBq/GWa)






Figure B2: Discharges and emissions normalized to production, NPP Borssele (logarithmic scale).

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

Fuel enrichment facility URENCO**Figure B3:** Discharges to water normalized to limits of the fuel enrichment plant Urenco (logarithmic scale).**Figure B4:** Discharges to water normalized to production (TBq/tSW) at Urenco (logarithmic scale).

Annex C: Environmental Impact in the Netherlands

Although discharges of Dutch and foreign nuclear installations lead to an increase of the activity concentrations in the environment, it cannot be expected that the environmental monitoring data are associated to a unique discharge source. For this reason the environmental impact is presented in this appendix and not in the main text.

Concentrations of radionuclides in samples

Activity concentrations are frequently measured in environmental samples from several locations in waters of the Netherlands. In this report data from nine specific locations, for which an increase of the activity concentration in the environment may be expected, are presented. A map of these nine locations is given in Annex A. The median value for the measured activity concentrations in a year is given. The data up to 2015 are extracted from <http://www.waterbase.nl> and for 2016 and onwards from <https://waterinfo.rws.nl>.

Table C1: Alpha activity concentration (in Bq.m⁻³)

	Dantzig gat	Eijsden ponton	Vrouwe zand	Haring-vlietsluis	Lobith ponton	Maas-sluis noord	Marsdiep	Sas van Gent	Wester-scheldt
1998	NI	3.8E+01	4.6E+01	5.3E+01	7.1E+01	1.2E+02	4.2E+02	8.7E+01	4.5E+02
1999	6.1E+02	5.0E+01	5.0E+01	5.1E+01	7.8E+01	1.0E+02	5.1E+02	1.5E+02	6.6E+02
2000	3.0E+02	3.1E+01	5.2E+01	3.7E+01	5.6E+01	4.8E+01	2.1E+02	4.9E+01	2.0E+02
2001	5.4E+02	3.9E+01	4.0E+01	4.4E+01	6.0E+01	8.5E+01	3.6E+02	7.1E+01	4.0E+02
2002	4.2E+02	3.7E+01	3.6E+01	4.6E+01	6.0E+01	8.3E+01	3.6E+02	7.5E+01	3.2E+02
2003	5.2E+02	2.5E+01	3.4E+01	3.3E+01	4.6E+01	9.8E+01	3.4E+02	1.0E+02	4.8E+02
2004	4.4E+02	3.8E+01	4.6E+01	3.7E+01	5.3E+01	8.8E+01	3.3E+02	1.2E+02	5.1E+02
2005	5.4E+02	3.8E+01	3.3E+01	3.4E+01	5.9E+01	1.0E+02	7.0E+02	1.2E+02	7.0E+02
2006	8.0E+02	3.7E+01	4.7E+01	3.9E+01	5.9E+01	1.2E+02	7.3E+02	1.3E+02	6.1E+02
2007	3.6E+02	4.4E+01	4.1E+01	3.8E+01	5.5E+01	9.2E+01	4.4E+02	9.3E+01*	4.1E+02
2008	3.9E+02	4.8E+01	4.7E+01	4.1E+01	5.3E+01	9.7E+01	5.2E+02	1.2E+02	5.6E+02
2009	9.8E+02	3.3E+01	3.9E+01	3.5E+01	6.0E+01	9.2E+01	7.6E+02	1.1E+02	7.0E+02
2010	3.1E+02	3.0E+01	3.3E+01	2.9E+01	5.5E+01	6.1E+01	2.9E+02	7.5E+02	4.5E+02
2011	2.1E+02	2.9E+01	4.8E+01	3.6E+01	5.4E+01	1.2E+02	2.5E+02	1.8E+02	3.0E+02
2012	3.1E+02	2.9E+01	2.8E+01	2.8E+01	4.1E+01	8.8E+01	3.8E+02	1.0E+02	3.5E+02
2013	5.2E+02	3.0E+01	3.4E+01	3.4E+01	5.5E+01	1.4E+02	8.7E+02	9.4E+01	5.7E+02
2014	4.9E+02	3.0E+01	3.5E+01	3.7E+01	5.5E+01	8.0E+01	3.9E+02	8.2E+01	4.9E+02
2015	5.4E+02	4.3E+01	4.8E+01	3.9E+01	5.9E+01	1.1E+02	8.5E+02	1.0E+02	5.5E+02
2016	4.5E+02	2.8E+01	3.4E+01	2.9E+01	4.9E+01	7.8E+01	3.9E+02	7.4E+01	3.1E+02
2017	2.4E+02	3.3E+01	3.9E+01	3.1E+01	5.2E+01	1.1E+02	6.1E+02	1.5E+02	5.3E+02
2018	5.0E+02	4.2E+01	3.5E+01	2.8E+01	5.5E+01	1.7E+02	6.8E+02	1.3E+02	5.0E+02
2019	4.4E+02	2.4E+01	4.9E+01	2.5E+01	5.4E+01	2.2E+02	4.9E+02	1.6E+02	4.5E+02

NI: No Information * Mistakenly reported as 9.3E02 in report OSPAR09 and corrected in report OSPAR13

Table C2: Residual beta activity concentration (in Bq.m⁻³)

	Dantzig gat	Eijsden ponton	Vrouwe zand	Haring-vlietsluis	Lobith ponton	Maas-sluis	Mars-diep	Sas van Gent	Wester-scheldt
1998	NI	3.2E+01	2.7E+01	2.7E+01	3.8E+01	4.8E+01	8.1E+01	2.9E+01	8.6E+01
1999	9.4E+01	2.5E+01	3.1E+01	2.1E+01	4.2E+01	5.7E+01	4.8E+01	2.9E+01	6.2E+01
2000	1.2E+02	1.7E+01	3.6E+01	1.9E+01	3.6E+01	3.6E+01	4.5E+01	2.3E+01	6.4E+01
2001	1.3E+02	2.2E+01	3.2E+01	2.9E+01	4.6E+01	7.4E+01	6.2E+01	4.1E+01	8.9E+01
2002	1.4E+02	2.0E+01	2.0E+01	1.8E+01	3.0E+01	7.3E+01	8.7E+01	4.6E+01	1.1E+02
2003	1.1E+02	1.3E+01	1.8E+01	8.0E+00	2.9E+01	2.5E+01	4.3E+01	3.0E+01	6.8E+01
2004	1.4E+02	1.7E+01	2.2E+01	1.3E+01	2.5E+01	5.2E+01	5.9E+01	3.2E+01	7.8E+01

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

2005	1.5E+02	1.8E+01	3.8E+01	8.0E+00	3.5E+01	4.2E+01	5.0E+01	2.8E+01	7.5E+01
2006	1.0E+02	3.4E+01	3.1E+01	1.5E+01	4.3E+01	4.1E+01	6.3E+01	2.3E+01	6.8E+01
2007	1.3E+02	2.7E+01	2.6E+01	1.5E+01	3.0E+01	5.4E+01	8.1E+01	3.1E+01	5.8E+01
2008	2.0E+02	3.2E+01	4.8E+01	2.4E+01	4.9E+01	4.3E+01	8.1E+01	2.9E+01	8.3E+01
2009	1.4E+02	2.7E+01	3.6E+01	2.7E+01	5.3E+01	4.4E+01	9.5E+01	3.6E+01	1.3E+02
2010	1.5E+02	1.8E+01	1.7E+01	1.1E+01	3.6E+01	4.3E+01	7.9E+01	2.8E+01	1.1E+02
2011	1.4E+02	1.6E+01	3.0E+01	9.0E+00	2.8E+01	4.5E+01	8.3E+01	3.8E+01	1.1E+02
2012	1.7E+02	2.0E+01	2.2E+01	7.0E+00	3.1E+01	3.5E+01	5.1E+01	2.5E+01	9.2E+01
2013	1.7E+02	2.3E+01	3.2E+01	1.4E+01	3.6E+01	4.2E+01	3.9E+01	3.7E+01	9.7E+01
2014	1.5E+02	2.3E+01	2.4E+01	2.0E+01	3.1E+01	3.1E+01	3.9E+01	2.6E+01	3.8E+01
2015	1.5E+02	1.5E+01	1.7E+01	2.0E+01	3.5E+01	3.0E+01	4.8E+01	2.5E+01	9.0E+01
2016	1.4E+02	1.4E+01	1.5E+01	1.1E+01	3.1E+01	4.3E+01	6.2E+01	2.3E+01	7.4E+01
2017	1.3E+02	1.9E+01	2.8E+01	2.0E+01	2.7E+01	4.7E+01	4.7E+01	3.0E+01	8.2E+01
2018	1.2E+02	1.9E+01	2.5E+01	1.6E+01	3.1E+01	4.3E+01	4.6E+01	2.4E+01	8.0E+01
2019	1.3E+02	1.1E+01	1.5E+01	1.7E+01	2.9E+01	5.2E+01	4.0E+01	2.4E+01	9.3E+01

Table C3: Tritium activity concentration (in Bq.m⁻³)

	Dantzig gat	Eijsden ponton	Vrouwe zand	Haring-vlietsluis	Lobith ponton	Maas-sluis	Mars-diep noord	Sas van Gent	Wester-scheldt
1998	NI	2.8E+03	3.4E+03	5.5E+03	4.6E+03	4.7E+03	4.3E+03	1.7E+03	5.4E+03
1999	3.5E+03	2.4E+04	3.6E+03	5.3E+03	4.6E+03	5.1E+03	5.2E+03	2.0E+03	5.4E+03
2000	3.7E+03	3.4E+03	2.5E+03	6.1E+03	4.3E+03	5.1E+03	5.5E+03	1.5E+03	5.2E+03
2001	2.4E+03	3.5E+03	2.6E+03	3.3E+03	3.4E+03	3.7E+03	2.6E+03	1.1E+03	3.9E+03
2002	2.7E+03	1.5E+04	2.7E+03	4.1E+03	3.3E+03	4.4E+03	3.1E+03	1.7E+03	4.5E+03
2003	3.7E+03	2.0E+04	3.7E+03	5.3E+03	5.1E+03	6.0E+03	3.5E+03	2.0E+03	5.2E+03
2004	4.7E+03	1.2E+04	3.2E+03	5.0E+03	4.1E+03	5.5E+03	4.7E+03	1.7E+03	6.5E+03
2005	4.8E+03	9.2E+03	3.3E+03	4.6E+03	4.8E+03	4.7E+03	4.9E+03	1.4E+03	6.2E+03
2006	5.2E+03	1.5E+04	4.2E+03	4.1E+03	5.9E+03	4.2E+03	5.4E+03	1.3E+03	6.6E+03
2007	3.7E+03	1.5E+04	3.2E+03	4.2E+03	3.3E+03	4.1E+03	3.4E+03	5.6E+02	4.8E+03
2008	4.5E+03	2.8E+04	3.1E+03	4.5E+03	4.0E+03	4.2E+03	4.0E+03	1.1E+03	5.2E+03
2009	2.7E+03	2.4E+03	3.3E+03	4.8E+03	3.4E+03	4.9E+03	3.5E+03	1.4E+03	4.2E+03
2010	3.1E+03	2.0E+04	3.3E+03	4.8E+03	4.1E+03	5.1E+03	3.1E+03	1.6E+03	4.8E+03
2011	3.7E+03	3.0E+04	2.5E+03*	5.4E+03	4.3E+03	4.9E+03	3.8E+03	2.1E+03	5.0E+03
2012	3.2E+03	9.1E+03	3.1E+03	6.6E+03	5.1E+03	5.4E+03	3.5E+03	1.4E+03	4.7E+03
2013	3.5E+03	8.4E+03	2.7E+03	3.4E+03	2.3E+03	4.3E+03	3.4E+03	1.3E+03	4.6E+03
2014	3.1E+03	2.0E+04	2.6E+03	5.6E+03	2.5E+03	4.6E+03	4.4E+03	1.3E+03	4.9E+03
2015	3.5E+03	1.8E+04	2.5E+03	4.0E+03	3.8E+03	4.5E+03	4.1E+03	1.1E+03	4.5E+03
2016	3.1E+03	8.1E+03	2.3E+03	4.7E+03	3.4E+03	3.2E+03	3.5E+03	1.4E+03	4.9E+03
2017	3.9E+03	1.3E+04	2.5E+03	4.2E+03	3.3E+03	4.3E+03	4.0E+03	2.2E+03	5.7E+03
2018	4.1E+03	2.3E+04	2.6E+03	4.2E+03	3.9E+03	3.9E+03	3.9E+03	1.9E+03	4.4E+03
2019	3.7E+03	5.7E+03	3.3E+03	3.4E+03	3.3E+03	4.2E+03	4.5E+03	2.3E+03	4.8E+03

NI: No Information

* Mistakenly reported as 2.6E+03 in report OSPAR13

Table C4: Ra-226 activity concentration (in Bq.m⁻³)

	Dantzig gat	Eijsden ponton	Vrouwe zand	Haring-vlietsluis	Lobith ponton	Maas-sluis	Mars-diep noord	Sas van Gent	Wester-scheldt
1998	NI	7E+00	NI	NI	9E+00	2E+01	7E+00	1.3E+01	9E+00
1999	6E+00	6E+00	NI	NI	8E+00	8E+00	6E+00	1.1E+01	9E+00
2000	6E+00	4E+00	NI	NI	5E+00	7E+00	6E+00	7E+00	6E+00
2001	5E+00	3E+00	NI	NI	4E+00	4E+00	4E+00	5.5E+00	5E+00
2002	5E+00	3E+00	NI	NI	4E+00	5E+00	4E+00	7E+00	5E+00

2003	4E+00	4E+00	NI	NI	5E+00	4E+00	4E+00	7E+00	5E+00
2004	4E+00	4E+00	NI	NI	4E+00	4E+00	3E+00	8E+00	6E+00
2005	4E+00	4E+00	NI	NI	4E+00	4E+00	3E+00	7E+00	5E+00
2006	3E+00	3E+00	NI	NI	4E+00	5E+00	4E+00	6E+00	5E+00
2007	4E+00	2E+00	NI	NI	3E+00	4E+00	3E+00	6E+00	5E+00
2008	4E+00	3E+00	NI	NI	4E+00	4E+00	3E+00	7E+00	4E+00
2009	4E+00	3E+00	NI	NI	4E+00	4E+00	4E+00	5E+00	4E+00
2010	5E+00	3E+00	NI	NI	4E+00	4E+00	4E+00	5E+00	5E+00
2011	4E+00	3E+00	NI	NI	3E+00	2E+00	2E+00	6E+00	5E+00
2012	3E+00	2E+00	NI	NI	3E+00	3E+00	4E+00	5E+00	4E+00
2013	4E+00	2E+00	NI	NI	3E+00	3E+00	3E+00	6E+00	3E+00
2014	5E+00	4E+00	NI	NI	8E+00	1.6E+01	1E+01	6E+00	7E+00
2015	8E+00	3E+00	NI	NI	4E+00	9E+00	6E+00	8E+00	7E+00
2016	7E+00	5E+00	NI	NI	5E+00	4E+00	6E+00	9E+00	8E+00
2017	3E+00	6E+00	NI	NI	4E+00	7E+00	4E+00	2E+01	1E+01
2018	2E+00	3E+00	NI	NI	3E+00	4E+00	2E+00	6E+00	8E+00
2019	4E+00	2E+00	NI	NI	3E+00	5E+00	2E+00	6E+00	5E+00

NI: No Information

Nuclide libraries

The reported activity concentrations are total alpha, total and residual beta, H-3, Pb-210/Po-210, Sr-90 and Ra-226. Residual beta is the total beta activity excluding K-40, H-3 and short-lived radon daughters.

The nuclide library Nuchart, a product of Canberra, is used to identify gamma emitting radionuclides in environmental samples. However, only Co-58, Co-60, Cs-134, Cs-137, I-131 and Mn-54, are reported, if the radionuclides are detected. The library is based on NUDAT (produced by the National Nuclear Data Center, Brookhaven National Laboratory).

Environmental monitoring program

The environmental monitoring programme consists of measuring water samples and suspended particles. The frequency of sampling is variable per year per nuclide and per location. For each of the alpha, residual beta and tritium activity measurements an average sampling frequency of 12 times per year per location is kept. Ra-226, Sr-90, Sr-89, Po-210 and gamma (Cs-137, etc.) activity is measured with a sampling frequency between 4 and 13 times per year per location. Rijkswaterstaat monitors the activity concentrations at 10 locations in inland waters and at 11 locations at sea.

National target levels of radioactive substances

National target levels of activity of radionuclides in the environment are defined for inland waters. Compliance is assessed by comparing the 90th percentile of the measured data, which is not given in this report, with the target levels.

Table C5: National target levels (in Bq.m⁻³) [TPW98].

Total alpha	1.0E+02
Residual beta	2.0E+02
Tritium	1.0E+04

Quality assurance of systems for environmental monitoring

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands
The methodology of environmental monitoring is according to NEN 5622¹, NEN 5623², and NEN 6421³ for the determination of alpha, gamma and beta activities respectively. NEN is a Dutch quality assurance standard. Beta and alpha emitters are monitored according to KTA 1504⁴.

Relevant information not covered by previous sections

There is no relevant information not covered by the previous sections.

-
- ¹ NEN5622: Radioactivity measurements - Determination of massic gross-alpha activity of a solid counting sample by the thick source method. Date of most recent version: 2006.
 - ² NEN5623: Radioactivity measurements - Determination of the activity of gamma ray emitting nuclides in a counting sample by semiconductor gammaspectrometry. Date of most recent version: 2002.
 - ³ NEN6421: Water - Determination of volumic gross-beta activity and volumic residual beta activity of non-volatile compounds. Date of most recent version: 2006.
 - ⁴ Kerntechnischer Asschuss (KTA 1504) Überwachung der Ableitung radioaktiver Stoffe mit wasser. Kerntechnischer Ausschuss 1504, Fassung 6/94. Carl Heymans Verlag KG, Luxemburger Strasse 449, 50939 Köln, Germany. 1994 (In German).

Annex D: Environmental Measurements in the Vicinity of NPP Borssele and the Waste Treatment Plant COVRA in Vlissingen

Since the year 2007, the results of the monitoring programme around NPP Borssele are made available through the reports on environmental radioactivity that are compiled by the Netherlands within the framework of the EURATOM Treaty. This is a collation of data from those reports:

Environmental radioactivity in the Netherlands.

Results in 2007, G.J. Knetsch (editor), RIVM Report 610791002/2008

Results in 2008, G.J. Knetsch (editor), RIVM, RIVM Report 610791003/2010

Results in 2009, M.C.E. Groot and G.J. Knetsch (editors), RIVM Report 610891002/2011

Results in 2010, G.J. Knetsch (editor), RIVM Report 610891003/2012

Results in 2011, G.J. Knetsch (editor), RIVM report 610891004/2013

Results in 2012, G.J. Knetsch (editor), RIVM Report 610891005/2014

Results in 2013, G.J. Knetsch (editor), RIVM Report 2015-0040

Results in 2014, G.J. Knetsch (editor), RIVM Report 2016-0182

Results in 2015, G.J. Knetsch (editor), RIVM Report 2016-0183

Results in 2016, C.P. Tanzi (editor), RIVM Report 2018-0160

Results in 2017, C.P. Tanzi (editor), RIVM Report 2019-0103

Results in 2018, C.P. Tanzi (editor), RIVM Report 2019-0216

Resultaten dosistempo- en radioactiviteitsmetingen in de omgeving van Borssele over het jaar 2019,

Vertrouwelijk, In opdracht van N.V., EPZ jaar 2019, nr: 24515/20.166704, 21 februari 2020

The Nuclear Research & consultancy Group (NRG) is commissioned by Elektriciteits-Productiemaatschappij Zuid-Nederland (N.V. EPZ) to perform monthly measurements on environmental samples taken in the vicinity of the nuclear power plant at Borssele (owned by N.V. EPZ). NPP Borssele and the waste treatment plant COVRA make use of the same wastewater outlet into the Westerscheldt. Samples are taken to monitor the compartments air (not shown here), water and soil. The monitoring program presented here [Donk, 2008, Delorme, 2009 and Donk, 2011] forms only part of the total monitoring program performed near the nuclear power plant. A more detailed description of the monitoring program and underlying strategy is reported in KEMA, 1994. This monitoring program is evaluated by NRG in 2019 [NRG, 2019]. The monitoring programme over the years 2007 to 2019 is shown in Table D.1, with the locations given in Figure D.1. The measurements of radionuclides in water (Tables D.2 and D.3, Figures D.2 and D.3), suspended solids (Table D.4 and Figure D.4), seaweed and sediment (Tables D.5 and D.6) are reported here.

Table D.1: Monitoring program for environmental samples in the vicinity of the nuclear power plant at Borssele. The location numbers correspond with the location numbers given in Figure D.1.


Matrix	Location	Parameter	Monitoring frequency (per year)
Water	1, 2, 3 and 4	residual β , ^3H	12
Suspended solids	1, 2, 3 and 4	gross β	12
Seaweed	1, 2, 3 and 4	γ -emitters ⁽¹⁾	12 ⁽²⁾
Sediment	1, 2, 3 and 4	γ -emitters ⁽¹⁾	12 ⁽²⁾

⁽¹⁾ γ -spectroscopic analysis of specific γ -emitting nuclides: ^{60}Co , ^{131}I and ^{137}Cs .

⁽²⁾ Analysis is performed on a combined sample of monthly samples of all four or five locations.

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

Figure D.1: Monitoring program for environmental samples in the vicinity of the nuclear power plant at Borssele (centre of the map) and the waste treatment plant COVRA in Vlissingen located at approximately 1 km in North-West direction.



The residual β and $H-3$ activity concentrations in water and gross β -activity concentrations in suspended solids from the Westerscheldt are presented in Tables D.2, D.3 and D.4. The respective yearly averages are shown in Figure D.2, D.3 and D.4.

Since 2012, the 3H activity concentrations in water are significantly lower than those in previous years. Since 2012, the gross β activity concentrations in suspended solids have been somewhat higher than those in previous years. These changes in 3H and gross β activity concentrations were investigated. The determination of gross β in 2019 for location 3 has been specifically re-examined, with inconclusive results. The change in gross β activity coincides with a change in counting efficiency. For 3H no significant changes in analysis procedures have been identified.

The results for the nuclides considered in the gammascopscopic analysis (Co-60, I-131 and Cs-137) in seaweed and sediment are given in Tables D.5 and D.6.

Figure D.2: Yearly averaged residual β -activity concentrations from Table D.2 in water from the Westerscheldt at four locations in the vicinity of NPP Borssele (see Figure D.1 for locations). Figure from RIVM Report 2019-0216, with the addition of 2019 data.





Figure D3: Yearly averaged H-3 activity concentrations from Table D.3 in water from the Westerscheldt at four locations in the vicinity of NPP Borssele (see Figure D.1 for sampling locations). Figure from RIVM Report 2019-0216, with the addition of 2019 data



Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

Figure D.4: Yearly averaged gross β -activity activity concentrations from Table D.4 in suspended solids from the Westerscheldt at four locations in the vicinity of NPP Borssele (see Figure D.1 for sampling locations). Figure from RIVM Report 2019-0216, with the addition of 2019 data.




Table D.2 Residual β -activity concentrations in water from the Westerscheldt (see Figure D.1 for sampling locations).

Date	Residual β (Bq/l)			
Location	1	2	3	4
07/02/07	0.036 ± 0.006	0.033 ± 0.005	0.052 ± 0.006	0.048 ± 0.005
07/03/07	0.093 ± 0.006	0.114 ± 0.006	0.087 ± 0.005	0.042 ± 0.005
05/04/07	0.036 ± 0.006	0.030 ± 0.006	0.062 ± 0.006	0.041 ± 0.006
03/05/07	0.153 ± 0.008	0.114 ± 0.007	0.193 ± 0.007	0.101 ± 0.006
06/06/07	0.070 ± 0.007	0.058 ± 0.006	0.060 ± 0.006	0.085 ± 0.005
05/07/07	0.083 ± 0.007	0.092 ± 0.008	0.059 ± 0.006	0.084 ± 0.007
06/08/07	0.053 ± 0.007	0.069 ± 0.006	0.031 ± 0.006	0.201 ± 0.009
05/09/07	0.073 ± 0.007	0.069 ± 0.007	0.064 ± 0.007	0.097 ± 0.005
03/10/07	0.037 ± 0.006	0.063 ± 0.007	0.061 ± 0.006	0.113 ± 0.006
07/11/07	0.129 ± 0.008	0.125 ± 0.007	0.130 ± 0.007	0.066 ± 0.006
06/12/07	0.048 ± 0.006	0.082 ± 0.006	0.065 ± 0.006	0.132 ± 0.006
07/01/08	0.043 ± 0.005	0.053 ± 0.006	0.042 ± 0.005	0.031 ± 0.004
07/02/08	0.030 ± 0.007	0.025 ± 0.006	0.046 ± 0.007	0.029 ± 0.004
04/03/08	0.051 ± 0.008	0.106 ± 0.007	0.069 ± 0.008	0.070 ± 0.008
02/04/08	0.038 ± 0.006	0.022 ± 0.005	0.025 ± 0.006	0.026 ± 0.004
08/05/08	0.033 ± 0.008	0.035 ± 0.006	0.064 ± 0.006	0.038 ± 0.006
04/06/08	0.051 ± 0.008	0.037 ± 0.007	0.035 ± 0.007	0.047 ± 0.005
03/07/08	0.063 ± 0.011	0.030 ± 0.008	0.029 ± 0.007	0.043 ± 0.007
06/08/08	0.060 ± 0.006	0.047 ± 0.006	0.043 ± 0.006	0.134 ± 0.008
08/09/08	0.064 ± 0.007	0.057 ± 0.006	0.067 ± 0.007	0.031 ± 0.006
01/10/08	0.053 ± 0.007	0.094 ± 0.006	0.061 ± 0.006	0.021 ± 0.006
06/11/08	0.051 ± 0.007	0.050 ± 0.006	0.070 ± 0.006	0.061 ± 0.006
04/12/08	0.042 ± 0.006	0.050 ± 0.006	0.031 ± 0.006	0.029 ± 0.005
08/01/09	0.030 ± 0.005	0.073 ± 0.006	0.057 ± 0.006	0.043 ± 0.005
06/02/09	0.080 ± 0.008	0.062 ± 0.006	0.073 ± 0.006	0.058 ± 0.005
05/03/09	0.052 ± 0.006	0.079 ± 0.008	0.055 ± 0.005	0.046 ± 0.005
02/04/09	0.040 ± 0.013	0.031 ± 0.005	0.055 ± 0.006	0.036 ± 0.004
06/05/09	0.083 ± 0.014	0.073 ± 0.006	0.047 ± 0.008	0.057 ± 0.005
04/06/09	0.084 ± 0.008	0.064 ± 0.006	0.054 ± 0.006	0.057 ± 0.006
08/07/09	0.077 ± 0.005	0.071 ± 0.006	0.046 ± 0.005	0.041 ± 0.008
06/08/09	0.067 ± 0.007	0.075 ± 0.011	0.073 ± 0.006	0.115 ± 0.006
07/09/09	0.134 ± 0.008	0.078 ± 0.007	0.077 ± 0.007	0.178 ± 0.008
08/10/09	0.090 ± 0.009	0.085 ± 0.012	0.102 ± 0.008	0.092 ± 0.007
05/11/09	0.056 ± 0.012	0.061 ± 0.007	0.110 ± 0.007	0.086 ± 0.007
03/12/09	0.086 ± 0.007	0.061 ± 0.007	0.087 ± 0.009	0.065 ± 0.005
07/01/10	0.051 ± 0.007	0.056 ± 0.006	0.046 ± 0.005	0.116 ± 0.006
04/02/10	0.046 ± 0.006	0.038 ± 0.006	0.061 ± 0.006	0.053 ± 0.007
03/03/10	0.047 ± 0.006	0.043 ± 0.006	0.032 ± 0.005	0.083 ± 0.006
01/04/10	0.051 ± 0.005	0.049 ± 0.006	0.034 ± 0.005	0.042 ± 0.005
07/05/10	0.039 ± 0.004	0.042 ± 0.005	0.055 ± 0.012	0.045 ± 0.004
03/06/10	0.083 ± 0.007	0.047 ± 0.007	0.068 ± 0.006	0.091 ± 0.008
08/07/10	0.048 ± 0.006	0.060 ± 0.006	0.063 ± 0.006	0.059 ± 0.007
05/08/10	0.078 ± 0.006	0.062 ± 0.007	0.048 ± 0.006	0.051 ± 0.006

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

02/09/10	0.099 ± 0.007	0.082 ± 0.006	0.095 ± 0.007	0.080 ± 0.006
04/10/10	0.088 ± 0.006	0.081 ± 0.010	0.097 ± 0.006	0.093 ± 0.010
03/11/10	0.096 ± 0.015	0.101 ± 0.012	0.065 ± 0.005	0.076 ± 0.011
09/12/10	0.099 ± 0.008	0.093 ± 0.009	0.089 ± 0.006	0.093 ± 0.006
05/01/11	0.086 ± 0.008	0.070 ± 0.006	0.096 ± 0.006	0.067 ± 0.005
01/02/11	0.135 ± 0.006	0.099 ± 0.004	0.089 ± 0.004	0.078 ± 0.005
01/03/11	0.102 ± 0.004	0.084 ± 0.005	0.064 ± 0.007	0.085 ± 0.005
06/04/11	0.096 ± 0.004	0.057 ± 0.006	0.081 ± 0.006	0.061 ± 0.007
02/05/11	0.071 ± 0.008	0.102 ± 0.007	0.069 ± 0.006	0.082 ± 0.007
07/06/11	0.078 ± 0.007	0.056 ± 0.007	0.061 ± 0.006	0.069 ± 0.006
06/07/11	0.059 ± 0.007	0.063 ± 0.009	0.091 ± 0.007	0.070 ± 0.006
03/08/11	0.141 ± 0.007	0.086 ± 0.006	0.056 ± 0.005	0.067 ± 0.006
08/09/11	0.121 ± 0.018	0.103 ± 0.007	0.107 ± 0.007	0.138 ± 0.010
04/10/11	0.108 ± 0.007	0.081 ± 0.006	0.062 ± 0.007	0.072 ± 0.007
03/11/11	0.051 ± 0.006	0.048 ± 0.006	0.043 ± 0.006	0.036 ± 0.006
08/12/11	0.100 ± 0.007	0.077 ± 0.010	0.085 ± 0.006	0.108 ± 0.008
09/01/12	0.043 ± 0.005	0.051 ± 0.005	0.065 ± 0.005	0.047 ± 0.004
08/02/12	0.045 ± 0.006	0.058 ± 0.006	0.065 ± 0.005	0.072 ± 0.005
08/03/12	0.049 ± 0.016	0.147 ± 0.016	0.024 ± 0.016	0.064 ± 0.015
03/04/12	0.043 ± 0.015	0.108 ± 0.015	0.026 ± 0.015	0.102 ± 0.015
03/05/12	0.169 ± 0.017	0.161 ± 0.017	0.052 ± 0.015	0.060 ± 0.010
11/06/12	0.045 ± 0.019	0.060 ± 0.019	0.034 ± 0.018	0.064 ± 0.016
03/07/12	0.047 ± 0.018	0.065 ± 0.017	0.023 ± 0.016	0.065 ± 0.017
08/08/12	0.064 ± 0.017	0.120 ± 0.016	0.072 ± 0.015	0.087 ± 0.015
04/09/12	0.07 ± 0.02	0.056 ± 0.015	0.035 ± 0.018	0.036 ± 0.020
03/10/12	0.065 ± 0.019	0.076 ± 0.018	0.060 ± 0.015	0.107 ± 0.016
07/11/12	0.061 ± 0.016	0.076 ± 0.018	0.047 ± 0.014	0.070 ± 0.015
05/12/12	0.034 ± 0.012	0.046 ± 0.016	0.017 ± 0.015	0.054 ± 0.014
02/01/13	0.045 ± 0.013	0.068 ± 0.012	0.042 ± 0.013	0.042 ± 0.011
05/02/13	0.102 ± 0.010	0.044 ± 0.007	0.042 ± 0.009	0.050 ± 0.008
06/03/13	0.074 ± 0.009	0.036 ± 0.008	0.040 ± 0.008	0.021 ± 0.008
03/04/13	0.027 ± 0.008	0.018 ± 0.007	0.019 ± 0.008	0.024 ± 0.008
01/05/13	0.003 ± 0.008	0.028 ± 0.008	0.018 ± 0.007	0.028 ± 0.006
05/06/13	0.020 ± 0.008	0.029 ± 0.007	0.031 ± 0.007	0.020 ± 0.006
03/07/13	0.045 ± 0.008	0.026 ± 0.005	0.017 ± 0.007	0.045 ± 0.007
08/08/13	0.095 ± 0.011	0.024 ± 0.008	0.083 ± 0.008	0.053 ± 0.008
05/09/13	0.041 ± 0.009	0.031 ± 0.009	0.022 ± 0.009	0.067 ± 0.009
07/10/13	0.029 ± 0.010	0.047 ± 0.009	0.047 ± 0.009	0.037 ± 0.009
05/11/13	0.079 ± 0.009	0.060 ± 0.010	0.015 ± 0.007	0.035 ± 0.006
04/12/13	0.047 ± 0.007	0.046 ± 0.007	0.036 ± 0.008	0.037 ± 0.007
02/01/14	0.022 ± 0.009	0.023 ± 0.007	0.030 ± 0.008	0.017 ± 0.005
05/02/14	0.058 ± 0.008	0.054 ± 0.008	0.059 ± 0.007	0.052 ± 0.007
05/03/14	0.076 ± 0.008	0.061 ± 0.009	0.075 ± 0.008	0.043 ± 0.007
02/04/14	0.037 ± 0.009	0.033 ± 0.007	0.028 ± 0.006	0.048 ± 0.007
07/05/14	0.081 ± 0.010	0.083 ± 0.015	0.098 ± 0.012	0.059 ± 0.008
05/06/14	0.049 ± 0.011	0.042 ± 0.012	0.055 ± 0.009	0.041 ± 0.009
08/07/14	0.102 ± 0.010	0.092 ± 0.011	0.091 ± 0.010	0.064 ± 0.009

07/08/14	0.088 ± 0.013	0.078 ± 0.009	0.090 ± 0.008	0.076 ± 0.009
03/09/14	0.058 ± 0.009	0.084 ± 0.009	0.073 ± 0.008	0.078 ± 0.011
09/10/14	0.082 ± 0.009	0.106 ± 0.009	0.061 ± 0.008	0.062 ± 0.007
05/11/14	0.088 ± 0.009	0.16 ± 0.02	0.050 ± 0.008	0.071 ± 0.007
04/12/14	0.061 ± 0.009	0.027 ± 0.008	0.037 ± 0.007	0.046 ± 0.008
07/01/15	0.059 ± 0.011	0.050 ± 0.007	0.070 ± 0.007	0.061 ± 0.007
04/02/15	0.028 ± 0.005	0.032 ± 0.006	0.076 ± 0.007	0.032 ± 0.005
05/03/15	0.081 ± 0.007	0.058 ± 0.007	0.048 ± 0.006	0.059 ± 0.006
02/04/15	0.069 ± 0.009	0.043 ± 0.008	0.032 ± 0.007	0.082 ± 0.009
06/05/15	0.066 ± 0.009	0.038 ± 0.007	0.060 ± 0.008	0.025 ± 0.004
03/06/15	0.032 ± 0.007	0.024 ± 0.007	0.032 ± 0.008	0.021 ± 0.007
08/07/15	0.056 ± 0.006	0.016 ± 0.008	0.035 ± 0.008	0.023 ± 0.007
05/08/15	0.041 ± 0.009	0.023 ± 0.009	0.037 ± 0.009	0.058 ± 0.009
02/09/15	0.030 ± 0.009	0.080 ± 0.014	0.034 ± 0.009	0.046 ± 0.008
07/10/15	0.057 ± 0.007	0.054 ± 0.008	0.041 ± 0.008	0.034 ± 0.007
04/11/15	0.035 ± 0.009	0.038 ± 0.011	0.055 ± 0.009	0.024 ± 0.008
09/12/15	0.018 ± 0.009	0.011 ± 0.008	0.033 ± 0.008	0.030 ± 0.007
06/01/16	0.033 ± 0.007	0.030 ± 0.008	0.034 ± 0.007	0.029 ± 0.008

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

03/02/16	0.043 ± 0.008	0.034 ± 0.007	0.018 ± 0.009	0.052 ± 0.007
02/03/16	0.060 ± 0.008	0.037 ± 0.007	0.020 ± 0.008	0.068 ± 0.006
06/04/16	0.050 ± 0.007	0.035 ± 0.007	0.040 ± 0.006	0.066 ± 0.007
03/05/16	0.033 ± 0.008	0.027 ± 0.007	0.011 ± 0.013	0.033 ± 0.010
07/06/16	0.035 ± 0.008	0.051 ± 0.007	0.068 ± 0.010	0.029 ± 0.007
06/07/16	0.035 ± 0.007	0.050 ± 0.006	0.033 ± 0.007	0.052 ± 0.007
03/08/16	0.037 ± 0.008	0.023 ± 0.007	0.024 ± 0.005	0.061 ± 0.008
07/09/16	0.030 ± 0.009	0.013 ± 0.008	0.049 ± 0.008	0.018 ± 0.007
06/10/16	0.049 ± 0.009	0.030 ± 0.008	0.060 ± 0.009	0.033 ± 0.008
03/11/16	0.036 ± 0.008	0.132 ± 0.010	0.028 ± 0.008	0.052 ± 0.008
05/12/16	0.060 ± 0.009	0.061 ± 0.010	0.116 ± 0.009	0.060 ± 0.010
05/01/17	0.085 ± 0.012	0.054 ± 0.008	< 0.021	0.036 ± 0.008
06/02/17	0.029 ± 0.007	0.051 ± 0.008	0.026 ± 0.007	0.099 ± 0.008
07/03/17	0.105 ± 0.009	0.084 ± 0.009	0.104 ± 0.014	0.074 ± 0.004
04/04/17	0.045 ± 0.008	0.049 ± 0.007	0.063 ± 0.011	0.044 ± 0.007
05/05/17	0.092 ± 0.009	0.062 ± 0.011	0.040 ± 0.008	0.077 ± 0.008
07/06/17	0.043 ± 0.007	0.040 ± 0.009	0.074 ± 0.008	0.083 ± 0.010
04/07/17	0.017 ± 0.009	0.025 ± 0.009	0.044 ± 0.009	0.065 ± 0.009
01/08/17	0.012 ± 0.008	0.045 ± 0.008	0.027 ± 0.008	0.051 ± 0.009
06/09/17	0.028 ± 0.010	0.059 ± 0.010	0.032 ± 0.009	0.042 ± 0.010
04/10/17	0.468 ± 0.015	0.050 ± 0.009	0.032 ± 0.010	0.069 ± 0.009
07/11/17	0.082 ± 0.009	0.063 ± 0.008	0.028 ± 0.008	0.085 ± 0.006
06/12/17	0.082 ± 0.010	0.091 ± 0.008	0.056 ± 0.010	0.147 ± 0.010
03/01/18	0.524 ± 0.012	0.206 ± 0.009	0.311 ± 0.009	0.154 ± 0.008
07/02/18	0.447 ± 0.010	0.496 ± 0.011	0.109 ± 0.008	0.488 ± 0.007
07/03/18	0.058 ± 0.008	0.052 ± 0.008	0.078 ± 0.008	0.068 ± 0.007
04/04/18	0.080 ± 0.010	0.092 ± 0.006	0.031 ± 0.007	0.081 ± 0.008
07/05/18	0.053 ± 0.008	0.058 ± 0.008	0.032 ± 0.008	0.057 ± 0.007
06/06/18	0.100 ± 0.010	0.085 ± 0.009	0.117 ± 0.009	0.068 ± 0.009
04/07/18	0.242 ± 0.011	0.076 ± 0.008	0.071 ± 0.007	0.083 ± 0.008
06/08/18	0.059 ± 0.008	0.040 ± 0.009	0.022 ± 0.009	0.098 ± 0.009
05/09/18	0.032 ± 0.009	0.038 ± 0.009	0.027 ± 0.008	0.012 ± 0.009
03/10/18	0.043 ± 0.009	0.049 ± 0.009	0.023 ± 0.009	0.033 ± 0.009
08/11/18	0.086 ± 0.009	0.112 ± 0.009	0.075 ± 0.008	0.093 ± 0.009
06/12/18	0.078 ± 0.011	0.059 ± 0.008	0.086 ± 0.008	0.071 ± 0.010
03/01/19	0.036 ± 0.008	0.024 ± 0.009	0.052 ± 0.011	0.039 ± 0.012
07/02/19	0.107 ± 0.009	0.115 ± 0.009	0.111 ± 0.009	0.082 ± 0.008
06/03/19	0.068 ± 0.010	0.16 ± 0.02	0.061 ± 0.009	0.088 ± 0.008
04/04/19	0.168 ± 0.009	0.115 ± 0.009	0.140 ± 0.009	0.114 ± 0.008
01/05/19	0.166 ± 0.009	0.120 ± 0.009	0.137 ± 0.009	0.121 ± 0.008
31/05/19	0.076 ± 0.009	0.058 ± 0.008	0.073 ± 0.008	0.028 ± 0.008
02/07/19	0.057 ± 0.009	0.056 ± 0.009	0.086 ± 0.009	0.090 ± 0.009
01/08/19	0.034 ± 0.008	0.022 ± 0.008	0.041 ± 0.008	0.033 ± 0.008
06/09/19	0.060 ± 0.008	0.074 ± 0.008	0.058 ± 0.008	0.237 ± 0.010
03/10/19	0.062 ± 0.008	0.045 ± 0.008	0.049 ± 0.008	0.039 ± 0.009
08/11/19	0.171 ± 0.010	0.100 ± 0.012	0.087 ± 0.009	0.163 ± 0.008
05/12/19	0.107 ± 0.010	0.125 ± 0.010	0.215 ± 0.020	0.153 ± 0.010

02/01/20	0.061 ± 0.008	0.089 ± 0.009	0.069 ± 0.008	0.069 ± 0.008
----------	---------------	---------------	---------------	---------------

Table D.3 ^{3}H -activity concentrations in water from the Westerscheldt (see Figure D.1 for sampling locations).

Date	H-3 (Bq/l)			
Location	1	2	3	4
07/02/07	7.8 ± 1.3	8.9 ± 1.3	10.4 ± 1.4	9.0 ± 1.4
07/03/07	7.9 ± 1.3	9.9 ± 1.4	8.3 ± 1.3	7.1 ± 1.3
05/04/07	7.3 ± 1.4	8.1 ± 1.4	7.6 ± 1.4	8.0 ± 1.3
03/05/07	8.1 ± 1.4	8.7 ± 1.4	8.4 ± 1.4	7.1 ± 1.4
06/06/07	6.6 ± 1.4	8.5 ± 1.4	9.1 ± 1.4	6.8 ± 1.4
05/07/07	7.5 ± 1.4	9.2 ± 1.4	7.8 ± 1.4	8.1 ± 1.4
06/08/07	8.8 ± 1.4	9.6 ± 1.4	9.7 ± 1.4	8.9 ± 1.4
05/09/07	8.8 ± 1.4	9.8 ± 1.5	9.0 ± 1.4	8.7 ± 1.4
03/10/07	9.1 ± 1.4	9.3 ± 1.4	8.3 ± 1.4	8.6 ± 1.4
07/11/07	8.6 ± 1.4	8.9 ± 1.4	9.1 ± 1.4	8.0 ± 1.4
06/12/07	9.0 ± 1.4	9.0 ± 1.4	8.1 ± 1.4	8.7 ± 1.4
07/01/08	8.1 ± 1.4	7.4 ± 1.4	7.1 ± 1.4	9.1 ± 1.4
07/02/08	7.8 ± 1.4	8.7 ± 1.4	8.8 ± 1.4	7.5 ± 1.4
04/03/08	7.8 ± 1.5	8.2 ± 1.5	7.0 ± 1.5	7.2 ± 1.5
02/04/08	9.9 ± 1.6	8.5 ± 1.5	7.7 ± 1.5	8.3 ± 1.5
08/05/08	9.2 ± 1.5	8.9 ± 1.5	8.7 ± 1.5	7.3 ± 1.4
04/06/08	7.3 ± 1.5	8.2 ± 1.5	8.3 ± 1.5	7.6 ± 1.5
03/07/08	8.4 ± 1.3	8.3 ± 1.3	9.8 ± 1.5	7.8 ± 1.3
06/08/08	8.3 ± 1.3	8.6 ± 1.3	7.7 ± 1.3	7.5 ± 1.3
08/09/08	8.0 ± 1.3	8.8 ± 1.3	8.5 ± 1.3	9.1 ± 1.3
01/10/08	9.1 ± 1.3	8.6 ± 1.3	8.0 ± 1.3	7.9 ± 1.3
06/11/08	8.7 ± 1.3	9.4 ± 1.3	9.1 ± 1.3	8.4 ± 1.3
04/12/08	8.3 ± 1.3	9.3 ± 1.3	8.4 ± 1.3	8.1 ± 1.3
08/01/09	8.2 ± 1.3	7.5 ± 1.2	7.6 ± 1.2	8.5 ± 1.3
06/02/09	8.2 ± 1.3	8.7 ± 1.3	9.3 ± 1.4	8.4 ± 1.4
05/03/09	9.2 ± 1.4	8.6 ± 1.4	7.8 ± 1.3	9.3 ± 1.4
02/04/09	9.5 ± 1.4	9.6 ± 1.4	8.5 ± 1.4	8.9 ± 1.4
06/05/09	8.4 ± 1.4	8.0 ± 1.4	7.6 ± 1.3	9.2 ± 1.4
04/06/09	7.3 ± 1.4	9.1 ± 1.5	8.7 ± 1.4	7.2 ± 1.4
08/07/09	9.3 ± 1.4	8.0 ± 1.4	9.1 ± 1.4	8.9 ± 1.4
06/08/09	7.2 ± 1.4	9.3 ± 1.4	8.8 ± 1.4	9.4 ± 1.4
07/09/09	8.7 ± 1.3	9.0 ± 1.3	8.6 ± 1.4	7.6 ± 1.4
08/10/09	8.4 ± 1.4	9.4 ± 1.4	8.8 ± 1.4	7.6 ± 1.3
05/11/09	8.7 ± 1.4	9.3 ± 1.4	8.8 ± 1.4	9.1 ± 1.4
03/12/09	9.1 ± 1.3	9.4 ± 1.3	8.9 ± 1.3	7.8 ± 1.3
07/01/10	10.4 ± 1.4	9.0 ± 1.4	9.8 ± 1.4	9.6 ± 1.4
04/02/10	8.5 ± 1.4	9.2 ± 1.4	8.9 ± 1.4	9.9 ± 1.4
03/03/10	9.2 ± 1.4	8.4 ± 1.4	8.3 ± 1.4	7.2 ± 1.4
01/04/10	7.4 ± 1.4	7.9 ± 1.4	7.7 ± 1.4	8.8 ± 1.4
07/05/10	8.9 ± 1.4	9.1 ± 1.4	8.0 ± 1.4	9.4 ± 1.4
03/06/10	8.6 ± 1.4	9.1 ± 1.4	8.5 ± 1.4	10.3 ± 1.4
08/07/10	8.7 ± 1.4	8.0 ± 1.4	9.1 ± 1.4	9.9 ± 1.2

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

05/08/10	7.9 ± 1.4	9.2 ± 1.4	8.2 ± 1.5	10.1 ± 1.2
02/09/10	8.7 ± 1.5	8.0 ± 1.5	8.1 ± 1.5	7.9 ± 1.3
04/10/10	8.9 ± 1.5	8.8 ± 1.5	9.2 ± 1.5	8.1 ± 1.3
03/11/10	8.3 ± 1.3	9.3 ± 1.4	8.8 ± 1.3	8.7 ± 1.1
09/12/10	9.5 ± 1.3	9.2 ± 1.4	8.9 ± 1.3	10.1 ± 1.2
05/01/11	9.6 ± 1.4	9.2 ± 1.3	8.6 ± 1.3	8.7 ± 1.1
01/02/11	8.3 ± 1.3	9.9 ± 1.3	9.4 ± 1.3	7.1 ± 1.1
01/03/11	8.3 ± 1.3	8.5 ± 1.3	8.6 ± 1.3	9.0 ± 1.1
06/04/11	8.9 ± 1.3	9.2 ± 1.3	9.8 ± 1.4	8.8 ± 1.1
02/05/11	7.4 ± 1.3	8.4 ± 1.3	7.2 ± 1.3	8.3 ± 1.1
07/06/11	9.8 ± 1.3	8.1 ± 1.3	8.3 ± 1.2	8.8 ± 1.1
06/07/11	8.9 ± 1.3	8.1 ± 1.3	7.8 ± 1.3	9.1 ± 1.1
03/08/11	8.9 ± 1.5	9.4 ± 1.5	9.1 ± 1.5	8.8 ± 1.3
08/09/11	8.3 ± 1.5	9.2 ± 1.5	8.6 ± 1.5	9.4 ± 1.3
04/10/11	8.8 ± 1.5	9.8 ± 1.5	9.1 ± 1.5	9.4 ± 1.3
03/11/11	8.3 ± 1.4	9.3 ± 1.4	9.5 ± 1.6	9.1 ± 1.2
08/12/11	8.5 ± 1.5	8.8 ± 1.5	9.6 ± 1.5	9.5 ± 1.3
09/01/12	8.3 ± 1.5	9.2 ± 1.5	8.6 ± 1.5	9.2 ± 1.3
08/02/12	3.5 ± 0.3	2.8 ± 0.3	3.0 ± 0.3	3.2 ± 0.3
08/03/12	3.5 ± 0.3	3.4 ± 0.3	3.3 ± 0.3	5.0 ± 0.4
03/04/12	1.6 ± 0.2	2.6 ± 0.3	1.5 ± 0.2	1.2 ± 0.3
03/05/12	0.80 ± 0.15	3.0 ± 0.3	4.6 ± 0.5	< 1
11/06/12	3.9 ± 0.3	4.8 ± 0.4	3.1 ± 0.3	7.9 ± 0.5
03/07/12	1.07 ± 0.18	2.2 ± 0.3	0.53 ± 0.13	2.8 ± 0.4
08/08/12	2.5 ± 0.3	2.9 ± 0.4	2.8 ± 0.3	1.8 ± 0.2
04/09/12	4.9 ± 0.4	3.8 ± 0.4	2.5 ± 0.3	3.9 ± 0.4
03/10/12	3.1 ± 0.4	0.68 ± 0.14	1.4 ± 0.3	1.3 ± 0.3
07/11/12	2.3 ± 0.4	0.91 ± 0.17	0.62 ± 0.20	0.44 ± 0.12
05/12/12	2.9 ± 0.3	2.4 ± 0.3	1.0 ± 0.3	1.6 ± 0.2
02/01/13	4.7 ± 0.4	2.9 ± 0.3	3.3 ± 0.3	2.6 ± 0.3
05/02/13	1.8 ± 1.1	2.6 ± 1.2	0.7 ± 1.1	2.9 ± 1.3
06/03/13	3.5 ± 1.2	2.6 ± 1.2	4.3 ± 1.2	2.6 ± 1.2
03/04/13	5.0 ± 1.2	2.0 ± 1.3	4.9 ± 1.2	2.5 ± 1.3
01/05/13	7.7 ± 1.2	6.8 ± 1.2	8.5 ± 1.2	4.0 ± 1.2
05/06/13	5.2 ± 1.2	2.3 ± 1.2	3.2 ± 1.2	3.7 ± 1.2
03/07/13	2.6 ± 1.3	2.4 ± 1.7	1.9 ± 1.7	6.7 ± 1.3
08/08/13	4.0 ± 1.7	2.2 ± 1.2	1.8 ± 1.2	4.9 ± 1.7
05/09/13	2.8 ± 1.2	2.5 ± 1.2	5.0 ± 1.2	5.3 ± 1.2
07/10/13	<1	2.1 ± 1.2	0.4 ± 1.2	2.4 ± 1.3
05/11/13	5.0 ± 1.1	5.3 ± 1.2	5.0 ± 1.1	4.5 ± 1.2
04/12/13	3.3 ± 1.2	3.4 ± 1.2	3.4 ± 1.2	4.4 ± 1.3
02/01/14	2.3 ± 1.1	4.5 ± 1.2	3.1 ± 1.2	5.6 ± 1.2
05/02/14	3.1 ± 1.4	3.5 ± 1.3	2.0 ± 1.3	2.6 ± 1.3
05/03/14	0.9 ± 1.8	1.9 ± 1.2	1.7 ± 1.2	3.0 ± 1.3
02/04/14	3.3 ± 1.2	6.3 ± 1.2	4.8 ± 1.2	5.3 ± 1.2
07/05/14	3.5 ± 1.2	1.5 ± 1.2	4.7 ± 1.2	5.6 ± 1.2
05/06/14	0.2 ± 1.6	1.1 ± 1.2	1.1 ± 1.2	< LLD ⁽²⁾

08/07/14	1.2 ± 1.8	1.6 ± 1.6	0.8 ± 1.6	0.8 ± 1.3
07/08/14	2.6 ± 1.2	0.4 ± 2.0	2.6 ± 1.2	4.3 ± 1.2
03/09/14	1.1 ± 1.6	< LLD ⁽²⁾	2.6 ± 1.2	1.7 ± 1.2
09/10/14	5.3 ± 1.1	4.7 ± 1.1	4.8 ± 1.1	5.6 ± 1.1
05/11/14	1.4 ± 1.6	2.6 ± 1.2	2.2 ± 1.2	1.5 ± 1.2
04/12/14	6.3 ± 1.2	2.8 ± 1.2	3.7 ± 1.3	1.9 ± 1.2
07/01/15	6.8 ± 1.1	8.0 ± 1.2	8.0 ± 1.2	6.9 ± 1.1
04/02/15	5.5 ± 1.1	6.7 ± 1.2	4.8 ± 1.1	5.3 ± 1.1
05/03/15	4.9 ± 1.1	5.0 ± 1.1	6.5 ± 1.1	5.1 ± 1.1
02/04/15	3.7 ± 1.1	4.4 ± 1.1	4.4 ± 1.1	3.6 ± 1.2
06/05/15	4.1 ± 1.1	6.5 ± 1.1	4.6 ± 1.1	3.0 ± 1.1
03/06/15	3.1 ± 1.1	3.5 ± 1.1	3.4 ± 1.1	3.2 ± 1.1
08/07/15	4.3 ± 1.1	3.6 ± 1.1	5.4 ± 1.1	5.9 ± 1.3
05/08/15	3.5 ± 1.1	4.9 ± 1.1	6.2 ± 1.1	4.4 ± 1.1
02/09/15	2.0 ± 1.2	1.6 ± 1.1	1.4 ± 1.1	3.4 ± 1.2
07/10/15	3.0 ± 1.1	6.1 ± 1.7	3.3 ± 1.1	4.4 ± 1.1
04/11/15	4.5 ± 1.3	4.5 ± 1.2	2.0 ± 1.1	2.7 ± 1.1
09/12/15	4.8 ± 1.1	5.0 ± 1.6	5.0 ± 1.1	5.6 ± 1.1
06/01/16	3.0 ± 1.1	1.3 ± 1.2	5.4 ± 1.2	3.1 ± 1.0

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

03/02/16	5.6 ± 1.2	5.1 ± 1.1	2.7 ± 1.1	7.0 ± 1.2
02/03/16	4.5 ± 1.1	5.0 ± 1.1	4.6 ± 1.1	6.1 ± 1.2
06/04/16	7.0 ± 1.2	5.6 ± 1.2	6.3 ± 1.2	5.6 ± 1.2
03/05/16	5.7 ± 1.1	6.9 ± 1.2	3.9 ± 1.1	3.5 ± 1.1
07/06/16	1.8 ± 1.1	2.7 ± 1.1	4.3 ± 1.1	3.3 ± 1.1
06/07/16	2.6 ± 1.1	4.7 ± 1.2	1.4 ± 1.1	2.5 ± 1.1
03/08/16	5.6 ± 1.1	5.2 ± 1.1	3.0 ± 1.1	5.5 ± 1.1
07/09/16	4.2 ± 1.2	2.9 ± 1.1	3.9 ± 1.2	2.7 ± 1.1
06/10/16	5.7 ± 1.2	3.7 ± 1.1	3.6 ± 1.2	6.7 ± 1.2
03/11/16	3.3 ± 1.1	4.6 ± 1.1	4.7 ± 1.1	3.6 ± 1.1
05/12/16	4.4 ± 1.1	7.3 ± 1.2	4.2 ± 1.1	4.3 ± 1.1
05/01/17	5.1 ± 1.1	4.9 ± 1.1	2.3 ± 0.8	5.8 ± 1.2
06/02/17	5.5 ± 0.9	5.4 ± 0.9	6.9 ± 1.0	4.6 ± 0.9
07/03/17	2.2 ± 1.0	3.5 ± 1.0	3.6 ± 1.0	
04/04/17	4.6 ± 1.0	7.5 ± 1.0	6.1 ± 0.9	6.9 ± 1.0
05/05/17	6.7 ± 1.2	6.9 ± 1.1	4.9 ± 1.1	5.0 ± 1.1
07/06/17	2.2 ± 1.0	3.0 ± 0.9	2.3 ± 1.0	3.1 ± 1.0
04/07/17	2.4 ± 1.0	1.8 ± 1.0	3.1 ± 1.0	3.0 ± 1.0
01/08/17	3.6 ± 0.9	5.1 ± 0.9	4.1 ± 0.9	5.0 ± 0.9
06/09/17	1.9 ± 0.9	3.8 ± 1.0	2.8 ± 1.0	2.4 ± 0.9
04/10/17	3.2 ± 1.0	4.3 ± 1.0	4.2 ± 1.0	5.9 ± 1.0
07/11/17	5.1 ± 0.9	4.9 ± 0.9	5.1 ± 0.9	0.4 ± 0.8
06/12/17	1.7 ± 1.0	3.9 ± 1.0	1.9 ± 1.1	2.7 ± 1.0
03/01/18	5.2 ± 1.0	3.4 ± 0.9	2.8 ± 0.9	4.3 ± 1.0
07/02/18	3.3 ± 1.4	< 5	< 5	< 5
07/03/18	7.0 ± 1.5	6.0 ± 1.4	5.1 ± 1.4	6.9 ± 1.5
04/04/18	4.2 ± 1.4	< 4	5.7 ± 1.5	4.7 ± 1.4
07/05/18	3.7 ± 1.3	2.4 ± 1.2	4.4 ± 1.4	5.3 ± 1.4
06/06/18	< 5	< 5	2.9 ± 1.3	< 5
04/07/18	< 5	4.1 ± 1.4	< 5	2.7 ± 1.3
06/08/18	3.5 ± 1.4	2.3 ± 1.2	< 5	< 4
05/09/18	< 5	< 5	< 5	< 5
03/10/18	4.9 ± 0.8	6.0 ± 0.8	7.8 ± 1.1	< 3
08/11/18	< 3	< 3	< 3	< 3
06/12/18	< 2.5	< 2.6	2.1 ± 0.8	< 2.6
03/01/19	< 3	< 3	< 3	< 3
07/02/19	< 3	3.5 ± 1.6	6.3 ± 1.9	4.0 ± 1.6
06/03/19	3.3 ± 1.6	3.4 ± 1.6	3.4 ± 1.6	3.7 ± 1.6
04/04/19	3.7 ± 1.7	3.4 ± 1.7	4.3 ± 1.8	3.4 ± 1.6
01/05/19	3.1 ± 1.6	< 3	< 3	< 3
31/05/19	6.9 ± 2.0	7.8 ± 2.1	10.9 ± 2.4	6.1 ± 1.9
02/07/19	3.5 ± 1.6	8.4 ± 2.7	4.3 ± 2.1	5.8 ± 2.0
01/08/19	< 3	< 3	< 3	< 3
06/09/19	< 3	< 3	< 3	< 3
03/10/19	< 3	< 3	< 3	< 3
08/11/19	3.1 ± 1.7	3.1 ± 1.7	4.2 ± 1.7	3.8 ± 1.8
05/12/19	3.3 ± 1.6	3.7 ± 1.7	3.9 ± 1.6	4.0 ± 1.7

02/01/20	3.2 ± 1.7	3.8 ± 1.7	3.6 ± 1.7	3.7 ± 1.7
----------	---------------	---------------	---------------	---------------

⁽²⁾LLD is Lower Limit of Detection

Table D.4 Gross β -activity concentrations in suspended solids from the Westerscheldt (see Figure D.1 for sampling locations).

Date	Gross β (kBq/kg)			
Location	1	2	3	4
07/02/07	0.71 ± 0.03	0.85 ± 0.04	0.85 ± 0.03	0.65 ± 0.02
07/03/07	0.81 ± 0.06	0.90 ± 0.07	0.69 ± 0.06	0.90 ± 0.06
05/04/07	1.2 ± 0.2	1.08 ± 0.10	0.87 ± 0.06	0.96 ± 0.08
03/05/07	0.93 ± 0.09	1.40 ± 0.11	1.77 ± 0.11	1.24 ± 0.05
06/06/07	1.16 ± 0.16	0.68 ± 0.06	0.83 ± 0.03	0.78 ± 0.04
05/07/07	0.80 ± 0.05	0.96 ± 0.05	0.64 ± 0.02	0.66 ± 0.03
06/08/07	0.82 ± 0.05	0.95 ± 0.06	0.73 ± 0.03	0.88 ± 0.06
05/09/07	0.647 ± 0.16	0.75 ± 0.03	0.88 ± 0.04	1.04 ± 0.10
03/10/07	0.69 ± 0.05	0.96 ± 0.07	0.68 ± 0.08	0.95 ± 0.06
07/11/07	0.99 ± 0.06	1.49 ± 0.08	1.31 ± 0.09	1.19 ± 0.06
06/12/07	1.22 ± 0.05	0.74 ± 0.11	0.80 ± 0.04	0.95 ± 0.05
07/01/08	1.15 ± 0.06	0.90 ± 0.06	0.95 ± 0.06	0.79 ± 0.05
07/02/08	0.46 ± 0.10	0.68 ± 0.12	0.75 ± 0.03	0.45 ± 0.05
04/03/08	0.60 ± 0.09	0.78 ± 0.04	0.71 ± 0.02	0.61 ± 0.14
02/04/08	0.71 ± 0.14	0.80 ± 0.12	0.71 ± 0.11	0.49 ± 0.14
08/05/08	1.06 ± 0.14	0.60 ± 0.06	0.89 ± 0.06	0.79 ± 0.11
04/06/08	1.05 ± 0.07	1.29 ± 0.11	0.86 ± 0.06	1.01 ± 0.11
03/07/08	0.77 ± 0.07	0.66 ± 0.05	0.79 ± 0.08	0.76 ± 0.03
06/08/08	1.26 ± 0.12	0.80 ± 0.05	0.62 ± 0.05	1.59 ± 0.13
08/09/08	0.77 ± 0.03	0.79 ± 0.06	0.89 ± 0.08	0.55 ± 0.04
01/10/08	0.74 ± 0.04	1.32 ± 0.05	0.74 ± 0.04	0.42 ± 0.13
06/11/08	0.90 ± 0.04	0.81 ± 0.04	1.01 ± 0.05	0.77 ± 0.05
04/12/08	0.81 ± 0.07	0.73 ± 0.05	0.59 ± 0.03	0.61 ± 0.05
06/02/09	0.94 ± 0.06	0.75 ± 0.04	0.58 ± 0.02	0.291 ± 0.018
05/03/09	0.44 ± 0.03	0.49 ± 0.03	0.61 ± 0.03	0.42 ± 0.03
02/04/09	0.61 ± 0.05	0.61 ± 0.07	0.66 ± 0.04	1.33 ± 0.13
06/05/09	0.31 ± 0.05	0.63 ± 0.07	0.96 ± 0.06	0.66 ± 0.05
04/06/09	0.89 ± 0.19	0.75 ± 0.15	0.91 ± 0.04	0.92 ± 0.05
08/07/09	0.94 ± 0.08	0.96 ± 0.08	0.64 ± 0.06	0.72 ± 0.03
06/08/09	0.41 ± 0.07	0.66 ± 0.02	0.66 ± 0.02	0.617 ± 0.019
07/09/09	0.22 ± 0.03	0.20 ± 0.03	0.95 ± 0.05	0.89 ± 0.06
08/10/09	0.69 ± 0.03	0.79 ± 0.05	0.70 ± 0.04	0.77 ± 0.04
05/11/09	0.83 ± 0.05	1.15 ± 0.12	0.78 ± 0.05	0.73 ± 0.11
03/12/09	1.02 ± 0.07	1.00 ± 0.04	0.84 ± 0.04	1.20 ± 0.07
07/01/10	0.79 ± 0.03	0.76 ± 0.03	0.55 ± 0.02	0.60 ± 0.03
04/02/10	0.71 ± 0.05	0.64 ± 0.03	0.161 ± 0.017	0.56 ± 0.03
03/03/10	0.74 ± 0.08	0.79 ± 0.09	0.71 ± 0.08	0.10 ± 0.02
01/04/10	0.54 ± 0.04	0.75 ± 0.04	0.73 ± 0.04	0.57 ± 0.03
07/05/10	0.81 ± 0.16	1.18 ± 0.09	0.92 ± 0.13	0.61 ± 0.12
03/06/10	1.05 ± 0.06	0.84 ± 0.03	0.78 ± 0.03	0.81 ± 0.08

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

08/07/10	1.62 ± 0.10	0.74 ± 0.05	0.58 ± 0.17	0.33 ± 0.05
05/08/10	0.35 ± 0.10	0.94 ± 0.16	0.74 ± 0.09	0.65 ± 0.05
02/09/10	0.98 ± 0.08	0.95 ± 0.15	0.76 ± 0.08	0.99 ± 0.08
04/10/10	0.86 ± 0.14	1.76 ± 0.16	0.91 ± 0.07	1.01 ± 0.08
03/11/10	0.95 ± 0.09	1.58 ± 0.10	1.03 ± 0.07	1.68 ± 0.07
09/12/10	0.70 ± 0.03	1.11 ± 0.05	0.90 ± 0.04	0.98 ± 0.03
05/01/11	0.97 ± 0.05	1.47 ± 0.05	1.32 ± 0.05	1.11 ± 0.05
01/02/11	1.07 ± 0.06	1.44 ± 0.09	0.81 ± 0.07	1.57 ± 0.08
01/03/11	0.81 ± 0.03	1.33 ± 0.09	1.64 ± 0.08	1.35 ± 0.08
06/04/11	0.59 ± 0.12	1.39 ± 0.13	0.74 ± 0.07	0.45 ± 0.05
02/05/11	0.49 ± 0.07	0.41 ± 0.09	0.51 ± 0.06	0.59 ± 0.05
07/06/11	0.30 ± 0.06	0.61 ± 0.13	0.59 ± 0.04	0.43 ± 0.07
06/07/11	0.80 ± 0.07	0.76 ± 0.03	0.56 ± 0.03	0.64 ± 0.03
03/08/11	0.70 ± 0.03	0.72 ± 0.08	0.58 ± 0.04	0.61 ± 0.03
08/09/11	0.77 ± 0.13	0.77 ± 0.10	0.67 ± 0.07	0.72 ± 0.08
04/10/11	0.67 ± 0.05	0.75 ± 0.08	0.72 ± 0.03	0.73 ± 0.04
03/11/11	0.71 ± 0.04	0.98 ± 0.07	0.70 ± 0.04	0.67 ± 0.04
08/12/11	0.73 ± 0.08	0.87 ± 0.07	0.63 ± 0.04	0.59 ± 0.06
09/01/12	0.86 ± 0.08	1.11 ± 0.07	0.85 ± 0.09	0.84 ± 0.04
08/02/12	0.78 ± 0.07	0.91 ± 0.06	0.87 ± 0.09	1.12 ± 0.06
08/03/12	1.27 ± 0.13	2.10 ± 0.09	1.32 ± 0.08	2.39 ± 0.10
03/04/12	1.98 ± 0.12	2.8 ± 0.3	1.14 ± 0.04	2.1 ± 0.2
03/05/12	1.1 ± 0.3	1.8 ± 0.3	1.20 ± 0.12	1.15 ± 0.09
11/06/12	1.41 ± 0.08	1.54 ± 0.19	0.755 ± 0.014	1.14 ± 0.10
03/07/12	1.6 ± 0.4	1.24 ± 0.12	1.38 ± 0.11	1.11 ± 0.05
08/08/12	1.49 ± 0.11	2.2 ± 0.5	0.78 ± 0.02	0.93 ± 0.05
04/09/12	0.87 ± 0.02	1.2 ± 0.3	0.828 ± 0.018	0.97 ± 0.05
03/10/12	3.1 ± 1.4	1.20 ± 0.06	1.30 ± 0.14	1.18 ± 0.08
07/11/12	1.10 ± 0.03	1.27 ± 0.06	1.5 ± 0.2	0.84 ± 0.05
05/12/12	0.98 ± 0.03	1.24 ± 0.06	0.876 ± 0.019	0.93 ± 0.07
02/01/13	1.28 ± 0.10	1.5 ± 0.2	1.24 ± 0.06	1.28 ± 0.10
05/02/13	1.31 ± 0.08	1.01 ± 0.06	1.16 ± 0.06	0.79 ± 0.02
06/03/13	1.53 ± 0.11	1.52 ± 0.09	1.01 ± 0.02	0.530 ± 0.007
03/04/13	0.769 ± 0.014	0.88 ± 0.03	1.22 ± 0.03	1.07 ± 0.02
01/05/13	1.24 ± 0.16	0.648 ± 0.011	0.84 ± 0.03	1.17 ± 0.19
05/06/13	1.32 ± 0.08	1.53 ± 0.12	1.7 ± 0.3	1.33 ± 0.09
03/07/13	1.65 ± 0.17	1.19 ± 0.12	1.17 ± 0.06	0.92 ± 0.03
08/08/13	0.83 ± 0.04	0.62 ± 0.09	0.69 ± 0.04	1.05 ± 0.05
05/09/13	1.46 ± 0.19	2.6 ± 0.5	1.7 ± 0.3	0.97 ± 0.03
07/10/13	2.2 ± 0.4	1.08 ± 0.12	0.832 ± 0.017	1.14 ± 0.05
05/11/13	1.56 ± 0.09	0.71 ± 0.06	1.10 ± 0.05	1.17 ± 0.05
04/12/13	1.12 ± 0.04	1.27 ± 0.09	1.03 ± 0.04	0.92 ± 0.04
02/01/14	1.21 ± 0.06	1.28 ± 0.08	1.01 ± 0.02	1.21 ± 0.04
05/02/14	1.0 ± 0.4	1.19 ± 0.07	1.25 ± 0.09	1.53 ± 0.12
05/03/14	0.93 ± 0.04	1.13 ± 0.05	0.91 ± 0.03	0.536 ± 0.008
02/04/14	0.32 ± 0.03	2.83 ± 0.10	1.74 ± 0.11	1.31 ± 0.03
07/05/14	1.09 ± 0.19	0.93 ± 0.07	0.86 ± 0.02	1.1 ± 0.2

05/06/14	0.8 ± 0.4	0.99 ± 0.07	0.93 ± 0.03	1.00 ± 0.04
08/07/14	1.63 ± 0.20	2.2 ± 0.4	2.06 ± 0.14	0.95 ± 0.04
07/08/14	0.9 ± 0.3	1.6 ± 0.7	1.20 ± 0.14	0.701 ± 0.019
03/09/14	0.898 ± 0.017	1.09 ± 0.06	0.78 ± 0.02	1.33 ± 0.13
09/10/14	1.28 ± 0.08	0.84 ± 0.07	1.30 ± 0.17	0.566 ± 0.013
05/11/14	1.02 ± 0.07	1.03 ± 0.06	0.91 ± 0.02	1.40 ± 0.13
04/12/14	1.20 ± 0.08	1.9 ± 0.3	1.10 ± 0.08	1.07 ± 0.08
07/01/15	2.0 ± 0.2	1.3 ± 0.2	1.52 ± 0.17	1.1 ± 0.3
04/02/15	1.8 ± 0.2	2.1 ± 0.3	1.38 ± 0.06	1.24 ± 0.12
05/03/15	1.5 ± 0.2	1.3 ± 0.3	1.3 ± 0.2	1.2 ± 0.3
02/04/15	3.1 ± 0.5	2.7 ± 0.4	2.8 ± 0.7	2.8 ± 0.5
06/05/15	1.1 ± 0.7	1.9 ± 0.5	1.2 ± 0.7	1.70 ± 0.15
03/06/15	1.7 ± 0.4	1.8 ± 0.4	2.7 ± 0.8	1.4 ± 0.2
08/07/15	2.5 ± 0.9	3.6 ± 0.7	2.4 ± 0.8	0.7 ± 0.5
05/08/15	1.22 ± 0.11	1.46 ± 0.17	1.36 ± 0.18	0.91 ± 0.11
02/09/15	0.5 ± 0.2	1.6 ± 0.3	1.28 ± 0.07	1.14 ± 0.09
07/10/15	0.9 ± 0.7	3.4 ± 0.8	1.6 ± 0.3	1.4 ± 0.4
04/11/15	1.1 ± 0.3	2.5 ± 0.7	1.9 ± 1.0	0.9 ± 0.9
09/12/15	0.9 ± 0.5	1.7 ± 0.4	1.9 ± 0.5	2.7 ± 0.4
06/01/16	1.7 ± 0.3	2.1 ± 0.9	1.1 ± 0.3	1.65 ± 0.15

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

03/02/16	1.8 ± 0.9	2.2 ± 0.4	1.13 ± 0.09	3.1 ± 0.9
02/03/16	1.6 ± 0.4	2.0 ± 0.3	1.6 ± 0.4	1.8 ± 0.3
06/04/16	1.5 ± 0.8	2.3 ± 0.5	1.50 ± 0.14	2.1 ± 0.3
03/05/16	2.3 ± 0.7	2.1 ± 0.7	1.0 ± 0.5	0.2 ± 1.2
07/06/16	1.51 ± 0.10	1.50 ± 0.13	2.6 ± 0.5	1.76 ± 0.16
06/07/16	2.4 ± 0.5	3.0 ± 0.6	2.7 ± 0.9	2.6 ± 0.5
03/08/16	1.0 ± 0.3	2.3 ± 0.5	1.2 ± 0.3	2.7 ± 0.6
07/09/16	1.4 ± 0.8	2.3 ± 0.9	2.4 ± 0.8	1.8 ± 0.6
06/10/16	1.2 ± 0.3	1.5 ± 0.2	0.7 ± 0.3	1.1 ± 0.2
03/11/16	2.1 ± 0.5	1.7 ± 0.6	2.0 ± 0.3	1.4 ± 0.2
05/12/16	1.7 ± 0.4	0.63 ± 0.19	0.3 ± 0.2	0.6 ± 0.4
05/01/17	1.3 ± 1.2	2.6 ± 1.2	1.2 ± 1.3	2.7 ± 1.0
06/02/17	1.3 ± 0.2	0.94 ± 0.18	1.14 ± 0.19	0.7 ± 0.2
07/03/17	1.3 ± 0.2	1.4 ± 0.2	1.3 ± 0.2	1.4 ± 0.3
04/04/17	3.1 ± 1.2	3.0 ± 2.0	2.8 ± 0.9	3.2 ± 0.8
05/05/17	1.3 ± 0.6	4.3 ± 1.0	1.38 ± 0.15	1.5 ± 0.4
07/06/17	1.1 ± 0.4	2.0 ± 0.3	0.8 ± 0.4	1.8 ± 0.5
04/07/17	5 ± 4	2.9 ± 1.9	1.6 ± 1.5	2.6 ± 0.7
01/08/17	0.57 ± 0.18	0.3 ± 0.2	2.0 ± 0.3	1.30 ± 0.19
06/09/17	0.5 ± 0.7	1.6 ± 0.4	0.8 ± 0.3	1.2 ± 0.3
04/10/17	5.2 ± 1.4	3.6 ± 0.8	3.0 ± 0.5	1.7 ± 0.2
07/11/17	1.0 ± 0.2	1.3 ± 0.2	1.6 ± 0.3	1.07 ± 0.12
06/12/17	3.2 ± 0.6	2.9 ± 0.8	4.0 ± 0.6	2.2 ± 0.6
03/01/18	1.7 ± 0.5	1.9 ± 0.4	2.7 ± 0.7	1.6 ± 0.8
07/02/18	5.7 ± 1.0	4.8 ± 0.9	8 ± 2	14.2 ± 0.4
07/03/18	5.2 ± 1.5	5.4 ± 0.9	1.3 ± 0.5	2.6 ± 0.5
04/04/18	10.0 ± 1.7	9 ± 4	8.3 ± 1.4	2.5 ± 0.6
07/05/18	0.3 ± 0.7	4 ± 5	8 ± 4	8 ± 3
06/06/18	17 ± 3	10 ± 3	4.5 ± 1.5	4.3 ± 1.4
04/07/18	3.8 ± 1.9	6 ± 3	9 ± 3	3.5 ± 1.6
06/08/18	7.7 ± 0.9	1.3 ± 1.1	4.4 ± 1.1	0.8 ± 0.7
05/09/18	1.9 ± 0.8	2.1 ± 0.5	2.1 ± 0.7	1.4 ± 0.4
03/10/18	3 ± 3	2.8 ± 1.0	2.1 ± 0.9	1.9 ± 1.0
08/11/18	1.8 ± 0.6	2.1 ± 0.4	2.1 ± 0.5	1.9 ± 0.5
06/12/18	1.5 ± 0.5	1.64 ± 0.13	1.7 ± 0.4	1.1 ± 0.3
03/01/19	1.1 ± 0.4	2.0 ± 0.5	1.9 ± 0.3	1.2 ± 0.2
07/02/19	2.3 ± 0.2	1.7 ± 0.2	1.26 ± 0.16	1.9 ± 0.2
06/03/19	3.6 ± 0.9	1.9 ± 0.8	1.2 ± 0.3	1.2 ± 0.9
04/04/19	3.2 ± 0.8	3.2 ± 0.5	1.1 ± 0.3	1.3 ± 0.3
01/05/19	5.1 ± 1.1	3.2 ± 1.0	5.1 ± 1.0	4.9 ± 1.3
31/05/19	1.1 ± 0.7	3.5 ± 0.8	1.5 ± 0.8	1.0 ± 0.4
02/07/19	0.7 ± 0.2	8 ± 2	0.8 ± 0.2	1.9 ± 1.3
01/08/19	0.4 ± 0.3	0.9 ± 0.3	0.4 ± 0.2	0.5 ± 0.2
06/09/19	4.9 ± 0.5	1.00 ± 0.16	86.9 ± 0.6	4.6 ± 0.3
03/10/19	0.63 ± 0.18	0.6 ± 0.4	0.9 ± 0.3	0.8 ± 0.2
08/11/19	0.68 ± 0.19	0.10 ± 0.07	0.34 ± 0.12	0.20 ± 0.06
05/12/19	8 ± 3	4.8 ± 0.9	0.7 ± 0.6	1.9 ± 0.9

02/01/20	1.40 ± 0.14	2.87 ± 0.15	1.21 ± 0.11	1.14 ± 0.05
Table D.5 Activity concentrations of γ-emitters in seaweed from the Westerscheldt. Analysis is performed on a combined sample of the monthly samples of all four locations (1, 2, 3 and 4).				
Date	Mass kg	^{60}Co Bq/kg ⁽¹⁾	^{131}I Bq/kg ⁽¹⁾	^{137}Cs Bq·kg ⁽¹⁾
07/02/07	0.198	< 2	2.0 ± 0.3	< 2
07/03/07	0.165	< 3	1.7 ± 0.3	0.6 ± 0.3
05/04/07	0.107	< 4	< 3	2.1 ± 0.6
03/05/07	0.186	< 3	< 2	< 2
06/06/07	0.051	< 8	< 7	< 6
05/07/07	0.099	< 4	1.4 ± 0.5	< 3
06/08/07	0.031	< 4	< 3	< 3
05/09/07	0.024	< 8	< 7	< 7
03/10/07	0.026	< 7	< 4	< 5
07/11/07	0.025	< 5	< 3	< 3
06/12/07	0.028	< 5	< 4	< 4
07/02/08	0.08	< 5	< 4	< 3
04/03/08	0.574	< 0.7	< 0.5	1.80 ± 0.18
02/04/08	0.786	< 0.6	< 0.4	1.52 ± 0.11
08/05/08	0.313	< 2	< 1	< 1
04/06/08	0.305	< 1	< 0.9	0.91 ± 0.15
03/07/08	0.208	< 2	< 1	< 1
06/08/08	0.171	< 2	< 2	< 2
08/09/08	0.2	< 2	< 2	< 2
01/10/08	0.207	< 2	< 1	< 1
06/11/08	0.256	< 2	< 1	< 1
04/12/08	0.179	< 2	< 2	< 2
08/01/09	0.031	< 5	< 3	< 3
06/02/09	0.16	< 3	< 0.8	< 2
05/03/09	0.15	< 3	< 2	< 2
02/04/09	0.077	< 5	< 5	< 4
06/05/09	0.069	< 6	< 4	1.6 ± 0.8
04/06/09	0.105	< 4	< 3	< 3
08/07/09	0.116	< 4	< 2	< 3
06/08/09	0.122	< 4	< 3	1.2 ± 0.6
07/09/09	0.091	< 4	< 3	< 3
08/10/09	0.106	< 4	< 2	< 2
05/11/09	0.201	< 2	< 2	< 2
03/12/09	0.046	< 4	< 3	< 4
04/02/10	0.100	< 4	< 4	< 3
03/03/10	0.094	< 4	< 3	< 3
01/04/10	0.128	< 3	3.3 ± 0.4	< 2
07/05/10	0.142	< 3	< 2	< 2
03/06/10	0.116	< 3	< 3	0.9 ± 0.4
08/07/10	0.158	< 2	< 2	< 2
05/08/10	0.156	< 3	< 2	0.8 ± 0.4
02/09/10	0.119	< 4	< 2	< 3

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

04/10/10	0.206	< 2	< 2	< 2
03/11/10	0.115	< 3	< 2	< 2
09/12/10	0.242	< 2	< 1	< 1
05/01/11	0.109	< 4	< 3	< 3
01/02/11	0.161	< 3	< 2	< 2
01/03/11	0.129	< 3	< 2	< 2
06/04/11	0.191	< 2	< 2	< 2
02/05/11	0.132	< 3	0.9 ± 0.3	< 2
07/06/11	0.162	< 3	< 2	< 2
06/07/11	0.107	< 3	< 3	< 3
03/08/11	0.132	< 3	< 2	< 2
08/09/11	0.119	< 3	< 2	< 2
04/10/11	0.141	< 3	< 2	< 2
03/11/11	0.086	< 4	< 3	< 3
08/12/11	0.097	< 4	< 3	< 3
09/01/12	0.100	< 4	< 3	< 3
08/02/12	0.095	< 4	< 3	< 3
08/03/12	0.103	< 2	< 1	< 1
03/04/12	0.089	< 2	< 2	< 2
03/05/12	0.075	< 3	< 4	< 2
11/06/12	0.086	< 2	< 2	< 2
03/07/12	0.093	< 2	< 2	< 2
08/08/12	0.076	< 2	< 2	< 2
04/09/12	0.125	< 2	< 2	< 1
03/10/12	0.097	< 2	< 3	< 2
07/11/12	0.125	< 1	< 2	< 1
05/12/12	0.097	< 1	< 1	< 1
02/01/13	0.088	< 2	< 3	< 2
05/02/13	0.086	< 2	< 2	< 2
06/03/13	0.096	< 2	< 2	< 2
03/04/13	0.099	< 1	< 1	< 1
01/05/13	0.08	< 2	< 2	< 2
05/06/13	0.057	< 2	< 1	< 2
03/07/13	0.081	< 2	< 2	< 2
08/08/13	0.083	< 2	< 2	< 2
05/09/13	0.095	< 1	< 2	< 1
07/10/13	0.099	< 2	< 2	< 2
05/11/13	0.094	< 2	< 2	< 2
04/12/13	0.095	< 2	< 2	< 2
02/01/14	0.1	< 1	< 2	< 1
05/02/14	0.146	< 2	< 1	< 1
05/03/14	0.100	< 1	< 1	< 1
02/04/14	0.096	< 2	< 2	< 2
07/05/14	0.109	< 2	< 1	< 2
05/06/14	0.078	< 2	< 3	< 2
08/07/14	0.076	< 3	< 2	< 2
07/08/14	0.161	< 1	< 1	< 1
03/09/14	0.144	< 1	< 2	< 1

09/10/14	0.119	< 2	< 2	< 1
05/11/14	0.299	< 0.6	< 0.5	< 0.5
04/12/14	0.296	< 0.8	< 0.8	< 0.6
07/01/15	0.154	< 1	< 0.9	< 1
04/02/15	0.129	< 2	< 0.9	< 1
05/03/15	0.125	< 2	< 1	< 1
02/04/15	0.07	< 3	< 2	< 2
06/05/15	0.093	< 2	< 2	< 2
03/06/15	0.147	< 1.0	< 0.8	< 0.9
08/07/15	0.078	< 3	< 2	< 2
05/08/15	0.167	< 2	< 0.9	< 1
02/09/15	0.121	< 1	< 1	< 1
07/10/15	0.153	< 1	< 1	< 1
04/11/15	0.129	< 2	< 1	< 1
09/12/15	0.147	< 1	< 1	< 1
06/01/16	0.097	< 2	< 3	< 2

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

03/02/16	0.253	< 1	< 0.8	< 0.7
02/03/16	0.167	< 1	< 1	< 1
06/04/16	0.236	< 0.6	< 0.5	< 0.5
03/05/16	0.115	< 2	< 2	< 1
07/06/16	0.111	< 1	< 2	< 1
06/07/16	0.119	< 1	< 2	< 1.0
03/08/16	0.102	< 2	< 1	< 2
07/09/16	0.142	< 1	< 1.0	< 0.7
06/10/16	0.15	< 0.7	< 0.8	< 0.8
03/11/16	0.096	< 2	< 2	< 2
05/12/16	0.166	< 1	< 1	< 0.9
05/01/17	0.117	< 2	< 2	< 1
06/02/17	0.141	< 1	< 1	< 1
07/03/17	0.135	< 1	< 1	< 1
04/04/17	0.094	< 2	< 1	< 2
05/05/17	0.085	< 2	< 2	< 2
07/06/17	0.088	< 2	< 2	< 3
04/07/17	0.111	< 2	< 1	< 2
01/08/17	0.142	< 1	< 1	< 1
06/09/17	0.125	< 1	< 1	< 2
04/10/17	0.102	< 1	< 1	< 1
07/11/17	0.161	< 0.9	< 1	< 1
06/12/17	0.09	< 2	< 2	< 2
03/01/18	0.105	< 1	< 1	< 1
07/02/18	0.156	< 1	< 1	< 0.8
07/03/18	0.132	< 1	< 1	< 1
04/04/18	0.11	< 1	< 1	< 1
07/05/18	0.128	< 2	< 1	< 1
06/06/18	0.099	< 2	< 2	< 2
04/07/18	0.114	< 2	< 1	< 2
06/08/18	0.187	< 1	< 1	< 1
05/09/18	0.146	< 2	< 1	< 1
03/10/18	0.111	< 2	< 1	< 2
08/11/18	0.089	< 2	< 2	< 2
06/12/18	0.099	< 2	< 1	< 2
03/01/19	0.108	< 1	< 1	< 1
07/02/19	0.100	< 2	< 1	< 2
06/03/19	0.099	< 2	< 2	< 2
04/04/19	0.036	< 2	< 1	< 2
01/05/19	0.077	< 3	< 3	< 3
31/05/19	0.081	< 3	< 2	< 3
02/07/19	0.099	< 2	< 1	< 2
01/08/19	0.116	< 2	< 2	< 2
06/09/19	0.141	< 2	< 2	< 2
03/10/19	0.124	< 2	< 2	< 2
08/11/19	0.093	< 2	< 0.8	< 2
05/12/19	0.087	< 2	< 2	< 2
02/01/20	0.099	< 1	< 1	< 1

⁽¹⁾ Dry weight.

Table D.6 Activity concentrations of γ -emitters in sediment from the Westerscheldt. Analysis is performed on a combined sample of the monthly samples of all four locations (1, 2, 3 and 4) (see Figure D.1 for sampling locations).

Date	Mass kg·m ⁻²	⁶⁰ Co Bq/kg ⁽¹⁾	¹³¹ I Bq/kg ⁽¹⁾	¹³⁷ Cs Bq·kg ⁽¹⁾
07/02/07	38.5	< 0.3	< 0.2	0.56 ± 0.07
07/03/07	38.9	< 0.3	< 0.2	0.74 ± 0.06
05/04/07	31.8	< 0.3	< 0.2	0.93 ± 0.08
03/05/07	31.0	< 0.3	< 0.2	1.52 ± 0.08
06/06/07	37.1	< 0.3	< 0.3	1.06 ± 0.06
05/07/07	38.3	< 0.3	< 0.2	1.19 ± 0.07
06/08/07	31.6	< 0.3	< 0.3	1.24 ± 0.07
05/09/07	35.7	< 0.3	< 0.2	1.34 ± 0.07
03/10/07	31.4	< 0.3	< 0.2	1.22 ± 0.12
07/11/07	29.3	< 1	< 0.9	0.9 ± 0.3
06/12/07	30.7	< 0.4	< 0.3	1.19 ± 0.10
07/02/08	35.1	< 0.3	< 0.3	1.30 ± 0.07
04/03/08	34.8	< 0.3	< 0.2	1.01 ± 0.08
02/04/08	33.1	< 0.3	< 0.3	1.25 ± 0.09
08/05/08	36.8	< 0.2	< 0.1	0.70 ± 0.05
04/06/08	31.7	< 0.3	< 0.2	1.24 ± 0.08
03/07/08	43.7	< 0.5	< 0.3	1.43 ± 0.12
06/08/08	37.0	< 0.3	< 0.2	0.99 ± 0.09
08/09/08	34.0	< 0.3	< 0.2	1.03 ± 0.07
01/10/08	37.0	< 0.3	< 0.2	1.05 ± 0.07
06/11/08	34.8	< 0.3	< 0.2	1.20 ± 0.07
04/12/08	32.1	< 0.3	< 0.2	1.03 ± 0.08
06/02/09	35.7	< 0.3	< 0.3	< 0.5
05/03/09	34.5	< 0.4	< 0.3	< 0.3
02/04/09	30.4	< 0.4	< 0.5	< 0.3
06/05/09	26.7	< 0.4	< 0.3	1.04 ± 0.08
04/06/09	29.1	< 0.3	< 0.2	1.19 ± 0.08
08/07/09	23.8	< 0.3	< 0.3	1.11 ± 0.08
06/08/09	29.5	< 0.3	< 0.2	1.13 ± 0.08
07/09/09	35.1	< 0.3	< 0.2	0.84 ± 0.07
08/10/09	56.3	< 0.3	< 0.2	0.95 ± 0.08
05/11/09	60.8	< 0.3	< 0.3	1.31 ± 0.11
03/12/09	66.7	< 0.3	< 0.2	1.33 ± 0.07
07/01/10	62.0	< 0.3	< 0.3	1.24 ± 0.08
04/02/10	47.5	< 0.5	< 0.3	1.08 ± 0.11
03/03/10	58.0	< 0.4	< 0.3	1.27 ± 0.09
01/04/10	60.1	< 0.4	< 0.3	1.02 ± 0.08
07/05/10	48.6	< 0.4	< 0.3	0.85 ± 0.09
03/06/10	52.4	< 0.4	< 0.3	1.27 ± 0.09
08/07/10	50.5	< 0.4	< 0.3	0.96 ± 0.10
05/08/10	47.4	< 0.5	< 0.4	0.64 ± 0.08

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

02/09/10	63.9	< 0.4	< 0.3	1.29 ± 0.08
04/10/10	55.4	< 0.4	< 0.3	1.17 ± 0.09
03/11/10	52.1	< 0.4	< 0.3	1.06 ± 0.10
09/12/10	54.4	< 0.4	< 0.3	0.97 ± 0.09
05/01/11	43.6	< 0.5	< 0.3	0.85 ± 0.10
01/02/11	65.4	< 0.4	< 0.3	1.36 ± 0.09
01/03/11	71.7	< 0.3	< 0.2	0.89 ± 0.08
06/04/11	67.3	< 0.3	< 0.2	0.97 ± 0.08
02/05/11	52.7	< 0.4	< 0.3	1.37 ± 0.14
07/06/11	50.4	< 0.4	< 0.3	0.70 ± 0.07
06/07/11	57.3	< 0.4	< 0.3	1.21 ± 0.09
03/08/11	59.6	< 0.3	< 0.2	0.75 ± 0.08
08/09/11	60.7	< 0.4	< 0.4	< 0.4
04/10/11	50.1	< 0.4	< 0.3	1.23 ± 0.10
03/11/11	57.5	< 0.3	< 0.2	0.62 ± 0.04
08/12/11	56.4	< 0.4	< 0.3	2.28 ± 0.10
09/01/12	57.7	< 0.3	< 0.3	0.34 ± 0.07
08/02/12	54.5	< 0.4	< 0.3	1.62 ± 0.09
08/03/12	79.6	< 0.3	< 0.2	0.54 ± 0.04
03/04/12	87.8	< 0.2	< 0.2	0.34 ± 0.03
03/05/12	74.4	< 0.3	< 0.4	0.65 ± 0.04
11/06/12	71.5	< 0.2	< 0.2	0.34 ± 0.04
03/07/12	63.4	< 0.3	< 0.3	0.72 ± 0.05
08/08/12	79.8	< 0.3	< 0.2	0.47 ± 0.10
04/09/12	72.7	< 1	< 0.2	0.35 ± 0.03
03/10/12	73.6	< 0.2	< 0.3	< 0.5
07/11/12	69.9	< 0.3	< 0.3	0.56 ± 0.04
05/12/12	68.5	< 0.3	< 0.2	0.39 ± 0.04
02/01/13	60.1	< 0.3	< 0.4	1.21 ± 0.06
05/02/13	74.7	< 0.3	< 0.3	0.73 ± 0.04
06/03/13	71.9	< 0.3	< 0.4	0.83 ± 0.06
03/04/13	77.2	< 0.3	< 0.3	0.46 ± 0.05
01/05/13	66.1	< 0.3	< 0.3	1.17 ± 0.06
05/06/13	65.1	< 0.2	< 0.3	0.50 ± 0.04
03/07/13	64.3	< 0.3	< 0.5	0.31 ± 0.04
08/08/13	68.6	< 0.2	< 0.2	0.44 ± 0.04
05/09/13	65.6	< 0.3	< 0.4	0.90 ± 0.11
07/10/13	76.7	< 0.3	< 0.3	0.72 ± 0.04
05/11/13	65.3	< 0.3	< 0.2	1.06 ± 0.05
04/12/13	69.8	< 0.3	< 0.3	0.40 ± 0.04
02/01/14	72.6	< 0.3	< 0.4	1.03 ± 0.05
05/02/14	69.8	< 0.3	< 0.3	0.84 ± 0.05
05/03/14	66.0	< 0.2	< 0.3	0.72 ± 0.04
02/04/14	70.6	< 0.3	< 0.3	0.59 ± 0.05
07/05/14	76.8	< 0.2	< 0.2	0.55 ± 0.04
05/06/14	50.8	< 0.7	< 0.6	1.61 ± 0.08
08/07/14	61.2	< 0.2	< 0.3	1.19 ± 0.05
07/08/14	68.7	< 0.2	< 0.2	0.67 ± 0.03

03/09/14	69.2	< 0.4	< 0.3	0.96 ± 0.04
09/10/14	71.2	< 0.3	< 0.3	0.39 ± 0.11
05/11/14	75.7	< 0.2	< 0.2	0.68 ± 0.04
04/12/14	58.9	< 0.4	< 0.4	1.37 ± 0.05
07/01/15	76.2	< 0.3	< 0.3	0.37 ± 0.04
04/02/15	70.3	< 0.2	< 0.2	0.48 ± 0.03
05/03/15	76.8	< 0.2	< 0.2	0.35 ± 0.03
02/04/15	58.8	< 0.4	< 0.4	1.35 ± 0.05
06/05/15	71.2	< 0.2	< 0.2	0.36 ± 0.06
03/06/15	73.7	< 0.3	< 0.3	0.48 ± 0.04
08/07/15	74.4	< 0.2	< 0.2	0.56 ± 0.06
05/08/15	76.0	< 0.2	< 0.2	0.60 ± 0.07
02/09/15	77.3	< 0.2	< 0.2	0.42 ± 0.03
07/10/15	67.8	< 0.3	< 0.2	0.51 ± 0.04
04/11/15	56.4	< 0.3	< 0.3	< 0.3
09/12/15	69.9	< 0.2	< 0.2	0.40 ± 0.04
06/01/16	72.4	< 0.2	< 0.3	0.71 ± 0.04
03/02/16	67.2	< 0.2	< 0.3	0.36 ± 0.03
02/03/16	79.9	< 0.2	< 0.2	0.27 ± 0.03
06/04/16	77.5	< 0.2	< 0.2	0.44 ± 0.07
03/05/16	74.4	< 0.2	< 0.2	0.29 ± 0.03
07/06/16	63.5	< 0.3	< 0.2	0.77 ± 0.05
06/07/16	76.7	< 0.2	< 0.3	0.39 ± 0.04
03/08/16	78.9	< 0.2	< 0.2	0.38 ± 0.03
07/09/16	59.7	< 0.2	< 0.3	0.99 ± 0.05
06/10/16	57.6	< 0.2	< 0.3	< 0.2
03/11/16	65.2	< 0.3	< 0.3	0.81 ± 0.05
05/12/16	69.8	< 0.2	< 0.2	0.25 ± 0.03
05/01/17	61.8	< 0.2	< 0.3	0.84 ± 0.04
06/02/17	61.5	< 0.2	< 0.2	0.52 ± 0.09
07/03/17	79.4	< 0.2	< 0.3	0.41 ± 0.03
04/04/17	63.4	< 0.2	< 0.2	0.91 ± 0.06
05/05/17	65.9	< 0.3	< 0.2	0.76 ± 0.05
07/06/17	62.6	< 0.2	< 0.3	0.99 ± 0.05
04/07/17	70.2	< 0.2	< 0.4	0.51 ± 0.03
01/08/17	63.8	< 0.3	< 0.4	0.93 ± 0.06
06/09/17	66.7	< 0.1	< 0.2	0.43 ± 0.03
04/10/17	64	< 0.2	< 0.2	1.28 ± 0.06
07/11/17	76.5	< 0.2	< 0.2	0.25 ± 0.03
06/12/17	62.5	< 0.2	< 0.4	1.05 ± 0.05
03/01/18	64.7	< 0.3	< 0.4	0.70 ± 0.11
07/02/18	71.0	< 0.3	< 0.3	0.592 ± 0.008

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

07/03/18	74.7	< 0.2	< 0.2	0.39 ± 0.05
04/04/18	77.4	< 0.2	< 0.2	0.40 ± 0.04
07/05/18	59.8	< 0.3	< 0.3	0.79 ± 0.07
06/06/18	58.9	< 0.2	< 0.4	0.99 ± 0.05
04/07/18	67.5	< 0.2	< 0.2	0.70 ± 0.03
06/08/18	66.3	< 0.3	< 0.2	0.81 ± 0.04
05/09/18	64.0	< 0.2	< 0.4	0.81 ± 0.04
03/10/18	69.4	< 0.2	< 0.3	0.67 ± 0.04
08/11/18	58.1	< 0.3	< 0.4	0.78 ± 0.04
06/12/18	67.6	< 0.3	< 0.3	0.82 ± 0.04
03/01/19	49.2	< 0.4	< 0.8	0.98 ± 0.06
07/02/19	56.1	< 0.4	< 0.4	0.956 ± 0.006
06/03/19	56.1	< 0.4	< 0.4	0.47 ± 0.06
04/04/19	60.1	< 0.2	< 0.5	0.80 ± 0.04
01/05/19	58.1	< 0.2	< 0.4	0.94 ± 0.05
31/05/19	67.9	< 0.3	< 0.3	0.68 ± 0.07
02/07/19	58.8	< 0.3	< 0.3	0.86 ± 0.07
01/08/19	63.0	< 0.3	< 0.3	0.91 ± 0.12
06/09/19	59.0	< 0.2	< 0.5	0.82 ± 0.04
03/10/19	56.0	< 0.3	< 0.3	1.05 ± 0.05
08/11/19	69.8	< 0.2	< 0.3	0.49 ± 0.03
05/12/19	66.7	< 0.3	< 0.3	0.72 ± 0.06
02/01/20	55.7	< 0.4	< 0.7	0.86 ± 0.05

⁽¹⁾ Dry weight.

References to Annex D

J.J. Donk, 2008. Resultaten van de dosistempo- en radioactiviteitsmetingen in de omgeving van Borssele over het jaar 2007. NRG Arnhem, in Dutch (commissioned by N.V. EPZ).

T. Delorme, 2009. Data on environmental analyses near the nuclear power plant at Borssele. Data provided by T. Delorme (N.V. EPZ) to P.J.M. Kwakman (RIVM) by e-mail in November 2009.

Donk, J.J., 2011. Resultaten van de dosistempo- en radioactiviteitsmetingen in de omgeving van Borssele over het jaar 2010. NRG Arnhem, in Dutch, Report No. 22554/11.106400 (commissioned by N.V. EPZ).

KEMA, 1994. Uitgangspunten voor de omgevingsbewakingsprogramma's van de kerncentrales te Dodewaard en Borssele. KEMA Arnhem, in Dutch, Report no. 40318/40575-NUC 94-5935.

NRG, 2019. Review van het omgevingsbewakings-programma EPZ Borssele, rapportnr. 24564/10.159906.

Report on Implementation of PARCOM Recommendation 18/01 by the Netherlands

Annex E: References for yearly discharges

The references for the yearly discharges of each installation are given here.

The Nuclear Power Plant in Borssele

- [2007] EPZ, kwartaalrapport 2007/4. Brief met bijlage betreffende lozingen van radioactieve stoffen, d.d. 8 maart 2008, ref. KM/Lrs/Lrs/R082082.
- [2008] EPZ, Rapportage lozingen 4e kwartaal 2008, 6 april 2009, Ref KM/TVD/TVD/R092114.
- [2009] EPZ, Rapportage lozingen 4e kwartaal 2009, 16 april 2010, Ref KM/TVD/TVD/R102126.
- [2010] EPZ, Rapportage lozingen 4e kwartaal 2010, 18 mei 2011, Ref KM/YFr/YFr/R112089.
- [2011] EPZ, Rapportage lozingen 4e kwartaal 2011, 10 mei 2012, Ref KM/FEN/GGo/R122081.
- [2012] EPZ, Rapportage lozingen 4e kwartaal 2012, 8 april 2013, Ref. KM/FEN/GGo/R132066.
- [2013] EPZ, Rapportage lozingen 4e kwartaal 2013, 28 april 2014, Ref. KM/FEN/GGo/R142078.
- [2014] EPZ, Rapportage lozingen 4e kwartaal 2014, 8 juli 2015, Ref. KM/FEN/GGo/R152058.
- [2015] EPZ, Rapportage lozingen 4e kwartaal 2015, 10 maart 2016, Ref. KM/FEN/GGo/R16659.
- [2016] EPZ, Rapportage lozingen 4e kwartaal 2016,
- [2017] EPZ, Rapportage lozingen 4e kwartaal 2017,
- [2018] EPZ, Rapportage lozingen 4e kwartaal 2018,
- [2019] EPZ, Rapportage lozingen 4e kwartaal 2019, 30 april 2020, Ref. KM/JMr/DAdS/R200266.

The Research Facility in Petten

- [2007] Jaarverslag Veiligheid en Milieu 2007, Nuclear Research and Consultancy Group, RJJN Janssen, Petten, 11 April 2008. K5004/08.88483/I.
- [2008] Jaarverslag Veiligheid en Milieu 2008, NRG, RJJN Janssen, Petten, 17 april 2009. NRG-K5004/09.94989/I
- [2009] Jaarverslag Veiligheid en Milieu 2009, NRG, RJJN Janssen, Petten, 27 mei 2010. NRG-K5004/10.101742I.
- [2010] Jaarverslag Veiligheid en Milieu 2010 NRG, F.S. Draaisma, Petten, juli 2011. NRG-K5004/11.108864.
- [2011] Jaarverslag Veiligheid en Milieu 2011 NRG, F.S. Draaisma, Petten, 13 juli 2012. NRG-K5004/12.114236 and private communication from F.S. Draaisma to C.P Tanzi 20121210
- [2012] Private communication from J.M. Kok to P. Kwakman, 3 February 2016.
- [2013] Private communication from J.M. Kok to P. Kwakman, 3 February 2016.
- [2014] Jaarverslag Veiligheid en Milieu 2014 NRG, F.S. Draaisma, Petten, 30 april 2015. NRG-K6004/15.132177.
- [2015] Private communication from F.S. Draaisma (NRG, Petten) to C.P Tanzi (RIVM, Bilthoven), 14 december 2016.
- [2016-2019] Private communication from F.S. Draaisma (NRG, Petten) to C.P Tanzi (RIVM, Bilthoven), 09 february 2021.

Covra Waste Storage facility

- [2007] Kwartaalrapport 81, 4e kwartaal 2007, Rapportnr. 08.074, 1 maart 2008.
- [2008] Kwartaalrapport 85, 4e kwartaal 2008, Rapportnr. 09.048, 25 februari 2009.
- [2009] Kwartaalrapport 89, 4e kwartaal 2009, Rapportnr. 10.044, 27 februari 2010.
- [2010] Kwartaalrapport 93, 4e kwartaal 2010, Rapportnr. 11.051, 30 maart 2011.
- [2011] Kwartaalrapport 97, 4e kwartaal 2011, Rapportnr.12.060, 28 maart 2012.
- [2012] KAM-Jaarverslag 2012 COVRA N.V., Rapportnr. 13.079, 31 maart 2013.
- [2013] KAM-Jaarverslag 2013 COVRA N.V., Rapportnr. 14096, 30 april 2014 and Kwartaalrapport 105, 4e kwartaal 2014, Rapportnr.14.065, 28 maart 2014.
- [2014-2015] KAM-Jaarverslag 2014 COVRA N.V., Rapportnr. 15060, 31 maart 2015.
- In addition, the COVRA KAM yearly reports and and private communication from J. Welbergen (COVRA, Vlissingen) to C.P. Tanzi (RIVM, Bilthoven).
- [2016] COVRA, Kwartaalrapport, 4e kwartaal 2016. Rapportnr. 17009

[2017] COVRA, Kwartaalrapport, 4e kwartaal 2017. Rapportnr. 18060

[2018] COVRA, Kwartaalrapport, 4e kwartaal 2018. Rapportnr. 19.048

[2019] COVRA, Kwartaalrapport, 4e kwartaal 2019. Rapportnr. 20.011

Urenco Uranium Enrichment Company, Almelo (NL)

[2007] Urenco Rapportage luchtstof- en waterlozingen 4e kwartaal 2007. Ref. COM/08/0525, 20-2-2008.

[2008] Urenco Rapportage luchtstof- en waterlozingen 4e kwartaal 2008.

[2009] Urenco Rapportage luchtstof- en waterlozingen 4e kwartaal 2009. Ref. COM/10/0522, 4-3-2010.

[2010] Urenco Rapportage luchtstof- en waterlozingen 4e kwartaal 2010. Ref. COM/11/0889, 3-5-2011.

[2011] Urenco Rapportage luchtstof- en waterlozingen 4e kwartaal 2011. Ref. COM/12/1035, 11-7-2012.

Production data are from URENCO Milieujaarverslag 2011 COM/12/0701, 30 april 2012.

[2012] Urenco Milieujaarverslag 2012 COM/13/0628. 29 maart 2013.

[2013] Urenco Milieujaarverslag 2013 COM/14/0672, 31 maart 2014.

[2014] Urenco Milieujaarverslag 2014 COM/15/0633, 31 maart 2015.

[2015] Private communication F. Tuenter (Urenco) to C.P. Tanzi (RIVM, Bilthoven), 21 October 2016 (e-mail).

[2016-2019] Private communication F. Tuenter (Urenco) to C.P. Tanzi (RIVM, Bilthoven), 2017 throughout 2019 (e-mail).

Research Reactor IRI Delft

[2007-2019] private communication from J. Okx (IRI, Delft) to CP Tanzi or Pieter Kwakman (RIVM, Bilthoven), except for 2009 where the information is taken from Liquid discharges from nuclear installations in 2009, OSPAR Publication Number: 543/2011.



OSPAR Secretariat
The Aspect
12 Finsbury Square
London
EC2A 1AS
United Kingdom

t: +44 (0)20 7430 5200
f: +44 (0)20 7242 3737
e: secretariat@ospar.org
www.ospar.org

Our vision is a clean, healthy and biologically diverse North-East Atlantic Ocean, which is productive, used sustainably and resilient to climate change and ocean acidification

Publication Number: 923/2022

© OSPAR Commission, 2022 Permission may be granted by the publishers for the report to be wholly or partly reproduced in publications provided that the source of the extract is clearly indicated.

© Commission OSPAR, 2022. La reproduction de tout ou partie de ce rapport dans une publication peut être autorisée par l'Editeur, sous réserve que l'origine de l'extrait soit clairement mentionnée.